5 333.9/02 F2yri '982.73

# The Yellowstone River Instream


Reservation

STATE DOCUMENTS COLLECTION

AUG 1 - 157

MONTANY STATE LISRARY 1515 E. EL ANE L HELENA, MONIANA 59629,

# PLEASE TETURN



MONTANTET ET RARY 1515 E & BLIVEL HELENA, MONTANA 59620 3 0864 0014 3334 4

#### THE YELLOWSTONE RIVER

#### INSTREAM

#### RESERVATION

FIFTH ANNUAL REPORT AND FIVE YEAR SUMMARY for the period

December 16, 1982 - December 15, 1983

Compiled by:

Larry Peterman and Fred Nelson

Fisheries Division
Montana Department of Fish, Wildlife and Parks
1420 East Sixth Avenue
Helena, Montana 59620

December, 1983

#### TABLE OF CONTENTS

INTRODUCTION	1
COMPLETED INSTREAM FLOW QUANTIFICATIONS USING EXISTING GAGE DATA	2
RIGGS' METHOD, EVALUATION AND WORK PLAN	6
FIVE YEAR PROGRESS REPORT FOR QUANTIFYING THE GRANTED PERCENTILE FLOWS	10
WATER AVAILABILITY-YELLOWSTONE RIVER AT BILLINGS	16
YELLOWSTONE RIVER INSTREAM FLOW UPDATE-TONGUE RIVER	19
UPDATE OF LEGAL PROCEEDINGS RELATED TO YELLOWSTONE RIVER WATER RESERVATIONS	21
APPENDIX A	23
Clarks Fork Yellowstone River near Belfry	
APPENDIX B	4 7

#### INTRODUCTION

The Order of the Board of Natural Resources and Conservation establishing water reservations for the Yellowstone basin was signed on December 15, 1978. As a result of that Order, the Department of Fish, Wildlife and Parks (MDFWP) was granted an instream reservation for the Yellowstone at Sidney of approximately 5.5 million acre-feet of water with varying amounts granted in upstream areas and tributaries.

The MDFWP applied for instream reservations on many streams and tributaries where little, if any, flow data were available. In granting an instream reservation for those waters, the Board frequently granted a percentile flow rather than a specific amount of water in acre-feet or cfs. In such areas, the department was directed by the Board through condition 116 to develop and submit to the Board within 5 years of December 15, 1978, a plan to convert the minimum flow instream reservation quantities into cubic feet of water per second and acre-feet of water per month.

Condition 117 states that the reservant shall submit to the Board an annual progress report setting forth accomplishments toward completion of such work as outlined in condition 116, a schedule of anticipated progress and other information as may be required. This report is designed to fulfill the requirement of the fifth-year annual progress report and to also summarize events pertaining to the instream reservations which occurred in the past five years. These include a discussion of legal proceedings, water availability in the Yellowstone River at Billings, and problems peculiar to the Tongue River.

## COMPLETED INSTREAM FLOW QUANTIFICATIONS USING EXISTING GAGE DATA

A search of existing streamflow data was done to determine which streams had sufficient, continuous, long-term streamflow records to enable quantification of certain instream reservations. Existing flow records at USGS gage sites are sufficient for five streams having an instream reservation and the granted percentile flows have been quantified. These are:

- 1. Bluewater Creek (mouth-headwaters)
  Gage # 6-2078 at stream mile 12.1
- 2. Brackett Creek (mouth-Sheep Creek) Gage # 6-1940 at stream mile 4.7
- 3. Rock Creek (mouth-Custer National Forest)
  Gage # 6-2095 at stream mile 46.0
- 4. Sweet Grass Creek (mouth-Forest Service boundary) Gage # 6-2005 at stream mile 58.6
- 5. Clarks Fork Yellowstone River Gage # 6-2075 (Near Belfry) at river mile 71.2

and

Clarks Fork Yellowstone River Gage # 6-2085 (At Edgar) at river mile 22.1

The percentile flows were derived by the USGS using their computer program titled K956 Daily Values Duration Hydrograph Tables and Plots. The computer printouts for the Clarks Fork sites, which were completed during this report period, are attached in Appendix A. The granted percentile flows for the five streams in terms of cubic feet of water per second and acre-feet of water per month are presented in Table 1.

In addition, sufficient, long-term gage records are available for computing the granted percentile flows during the non-winter months at site on Red Lodge Creek (#6-2110) and Willow Creek (#6-2115) in the Clarks Fork drainage. These gages were established by the USGS in 1937 and have operated to the present. However, no winter records are available for most years. The present computer program of the USGS is incapable of analyzing those years having partial flow records. The percentile flows at these two sites could be derived for the non-winter months if the appropriate computer

Table 1. Quantification of granted percentile flows in cubic feet of water per second and acre-feet per month.

	Bluewate 85th Per		Brackett 50th Per		
Jan. Feb. Mar. Apr. May Jun. Jul. Aug. Sep. Oct. Nov. Dec.	26.7 27.0 27.4 28.1 27.1 26.1 24.2 24.8 26.1 26.7 26.7	AF  1,641 1,499 1,684 1,672 1,666 1,553 1,488 1,525 1,553 1,641 1,553 1,641	7.1 6.3 9.2 41.7 100.0 78.8 26.8 10.9 10.7 9.9 9.0 6.6	AF 436 350 566 2,481 6,147 4,688 1,647 670 637 609 535 406	
		19,116 AF/	year	19,172 AF/year	
	Rock Cre 85th Per		Sweet Gr 90th Per	ass Creek centile	
Jan. Feb. Mar. Apr. May Jun. Jul. Aug. Sep. Oct. Nov. Dec.	cfs 30.8 28.3 26.8 32.0 116.0 426.5 344.5 213.0 117.5 68.7 48.1 37.5	AF  1,893 1,571 1,647 1,904 7,131 25,372 21,177 13,094 6,990 4,223 2,861 2,305	cfs 8.7 7.8 7.7 10.0 82.2 260.0 115.0 50.3 29.9 26.0 17.7 10.9	AF 535 433 473 595 5,053 15,467 7,069 3,092 1,779 1,598 1,053 670	

90,168 AF/year

37,817 AF/year

	River Nea 70th Perc	ork Yellowstone or Belfry centile (June-Sept.) centile (OctMay)	River at 70th Per	ork Yellowstone Edgar centile (June-Sept.) centile (OctMay)
Jan. Feb. Mar. Apr. May Jun. Jul. Aug. Sept. Oct. Nov. Dec.	170 168 160 245 1,030 3,360 1,580 423 240 122 200 180	AF  10,450 9,328 9,836 14,575 63,317 199,886 97,127 26,003 14,278 7,500 11,898 11,065	278 287 298 353 1,000 3,420 1,430 381 346 332 364 320	AF  17,089  15,935  18,319  21,000  61,473  203,456  87,906  23,421  20,584  20,409  21,654  19,671

program was available. The Helena office of the USGS plans to have the capability of analyzing these partial records in the near future after their new computer is installed.

For Hanging Woman, Otter, Pumpkin, and Rosebud (Yellowstone) creeks, only one more year of gaging by the USGS is required to complete 10 years of continuous records. No other data collection is needed at these sites, and the necessary analyses can be performed when the additional data become available. In addition, the MDFWP established a gage station at the mouth of the Shields River in 1978. This station will be operated until 10 years of record are obtained.

#### RIGGS' METHOD, EVALUATION AND WORK PLAN

The first annual progress report outlined a tentative plan for accomplishing the objectives in condition 116. The tentative plan was then reviewed, commented on and revised. In the second annual report, a finalized plan to convert the minimum-flow instream reservations for those streams having little or no flow data into cubic feet of water per second and acre-feet of water per month using hydrologic modeling techniques was submitted to the Board. This was done pursuant to the Board's order, specifically condition The Department of Natural Resources and Conservation (DNRC) concurred in the plan as presented and additionally suggested a provision for verifying the chosen methodology (Riggs' Method) using existing long-term gage stations in the area. The testing and verification of the Riggs' Method were performed by Systems Technology, Inc. and presented verbally to the Board. A write-up of the verification is contained in the third annual report. The findings in general were very good, and the report states that better results than those obtained during the verification can be achieved through a careful study of basin characteristics for all gaged streams in the Upper Yellowstone Basin and the omission of hydrologically different streams.

The finalized plan for quantifying the percentile flows was approved by the Board on June 5, 1981.

#### Plan and Schedule for Data Collection

The quantification of the granted percentile flows for those streams having insufficient flow records will be completed by the Helena office of the USGS through an extension of a cost-share, cooperative agreement with the MDFWP. The agreement specifies that the necessary field measurements will be completed by the USGS in two years and all data analyses and quantifications completed by the end of the third year.

The application of the Riggs' Method requires that monthly flow measurements be taken for one year on the streams to be analyzed. During the first year of the agreement, these monthly flow measurements were collected at 19 ungaged sites on streams within the Upper Yellowstone River drainage upstream from Livingston, Montana. These sites are as follows:

- 1. Bear Creek above North Fork near Jardine
- 2. Cinnabar Creek above Cottonwood Creek near Gardiner
- 3. Cinnabar Creek above confluence with Mol Heron Creek near Gardiner

- 4. Mol Heron Creek above confluence with Cinnabar Creek near Gardiner
- 5. Cedar Creek at Mouth near Gardiner
- 6. Tom Miner Creek above Canyon Creek near Gardiner
- 7. Tom Miner Creek at Mouth near Gardiner
- 8. Rock Creek at Mouth near Gardiner
- 9. Sixmile Creek above diversions near Emigrant
- 10. Fridley Creek above Miller Creek near Emigrant
- 11. Fridley Creek at Mouth near Emigrant
- 12. Coke Creek near Livingston
- 13. Eightmile Creek above Mouth (Sec. 33) near Pray
- 14. Mill Creek above diversions near Pray
- 15. Trail Creek above Pine Creek near Livingston
- 16. Suce Creek at Mouth near Livingston
- 17. Billman Creek above Coke Creek near Livingston
- 18. Billman Creek at Mouth at Livingston
- 19. Fleshman Creek at Mouth at Livingston

Sites on Cedar Creek above its Second Fork and Eight Mile Creek above Big Draw were originally slated for quantification during the first year, but were dropped by the USGS due to poor access to the sites.

The Riggs' Method, as described in the Third Annual Yellowstone Instream Reservation Report, is to be applied at these sites using the flows at the USGS gage station on Big Creek (#6-1918) for correlation. This gage was established in September 1973, discontinued in September 1979, and reactivated, using MDFWP funds, in October 1982.

The flow measurements on the unquantified streams were originally scheduled to begin in March 1982, but were delayed until November 1982 to correspond to the reactivation of the Big Creek gage. Monthly flow measurements at the 19 sites were completed in October 1983, with the quantification of the percentile flows for all these sites to be completed by April 1984.

Flow measurements for the unquantified tributaries to the Shields River and Yellowstone River downstream from Livingston began in November 1983, are scheduled to end in October 1984, and the quantification of the percentile flows completed by April 1985. These stream sites are as follows:

#### Shields River Tributaries

- 1. Smith Creek near Wilsall
- 2. Flathead Creek above Cache Creek near Wilsall
- 3. Flathead Creek above Muddy Creek near Wilsall
- 4. Flathead Creek below Potter Creek near Wilsall
- 5. Cottonwood Creek above Slippery Creek near Clyde Park
- 6. Cottonwood creek below Little Cottonwood Creek near Clyde Park
- 7. Rock Creek below Little Rock Creek near Clyde Park
- 8. Brackett Creek above Fox Creek near Clyde Park
- 9. South Fork Brackett Creek near Clyde Park
- 10. Middle Fork Brackett Creek near Clyde Park
- 11. North Fork Brackett Creek near Clyde Park

#### Yellowstone River Tributaries

- 1. Little Mission Creek near Livingston
- 2. Mission Creek above Little Mission Creek near Livingston
- 3. Lower Deer Creek above Log Cabin Creek near Greycliff
- 4. Bridger Creek below the Forks near Greycliff
- 5. Sweetgrass Creek near mouth
- 6. Upper Deer Creek below West Fork near Greycliff

The Riggs' Method is to be applied at these sites using the flows at the USGS gage stations on Brackett Creek (#6-1940) and Sweetgrass Creek (#6-2005) for correlation. These gages were reactivated for this project.

Additional work is being conducted on Sweetgrass Creek near its mouth since the quantification in Table 1 pertains to the USGS gage site near the uppermost boundary of the stream section at stream mile 58.6 and therefore do not reflect stream flows in the lower creek.

#### Preliminary Findings Using the Riggs' Method

The USGS has provided the MDFWP with a preliminary quantification of the percentile flows for those streams measured during the first year of the study. These preliminary results, which are presented in Appendix B, are subject to revision pending further analyses by the USGS. A letter report containing the finalized quantifications is scheduled for completion by April, 1984.

#### Completed Field Measurements

Instantaneous flow measurements that have been collected in conjunction with other studies by the USGS and the MDFWP are sufficient for use in the Riggs' Method for defining the granted percentile flows for many of the stream reaches having an instream reservation. Short-term USGS gage records for many sites are also suitable for use in the Riggs' Method. At other sites, additional flow measurements may be needed to supplement existing records or fill in voids in the data. These sites and a brief summary of the existing flow records are listed in Table 2. For those sites marked with an asterisk, existing flow records are judged sufficient for deriving the monthly percentile flows, provided these measurements can be correlated with the flows at established gage sites having long-term records. The granted percentile flows at these sites are scheduled to be quantified by October 1985.

Table 2. Summary of available short-term USGS gage records and instantaneous flow measurements for streams having an instream flow reservation.

#### Stillwater Tributaries

- \*1. Castle Creek (mouth 1,500 ft. above Picket Pin Creek)
  12 monthly measurements by the USGS, 1972-73
- \*2. East Rosebud Creek (Custer National Forest boundary West Rosebud Creek) USGS gage at Roscoe, 1922-24
- \*3. Fishtail Creek (mouth confluence of East and West Fishtail creeks)

  8 measurements by the USGS, 1981-82
  12 monthly measurements by the USGS, 1982-83
- \*4. Picket Pin Creek (mouth Swamp Creek)
  18 measurements by the MDFWP, 1975-76
- \*5. West Fork of Stillwater (mouth Castle Creek)
  12 monthly measurements by the USGS, 1970-71
  11 monthly measurements by the USGS, 1971-72
  12 monthly measurements by the USGS, 1972-73
  8 measurements by the USGS, 1981-82
  12 monthly measurements by the USGS, 1982-83

No high flow measurements

- 6. West Fork of Stillwater (Castle Creek Sweetgrass/Stillwater Co. line) 14 measurements by the MDFWP, 1975-76
- \*7. West Fork of Stillwater (Sweetgrass/Stillwater Co. line Tumble Creek)
  - 7 measurements by the USGS, 1981-82 6 measurements by the USGS, 1982-83 14 measurements by the MDFWP, 1975-76 No high flow measurements
- \*8. Butcher Creek (W. Butcher Creek mouth)
  USGS gage #6-2043, 1960-62
  Also three sites with 7-14 measurements by the USGS, 1960-61

#### Yellowstone Tributaries

- \*9. Bear Creek (mouth North Fork of Bear Creek) USGS gage #6-1895, 1946-49
- \*10. Big Creek (mouth Millfork Creek)

  USGS gage # 6-1918, 1973 present; will be operated for

  10 years
- \*11. Mill Creek (mouth East Fork)
  USGS gage #6-1920, 1951-56

# FIVE YEAR PROGRESS REPORT FOR QUANTIFYING THE GRANTED PERCENTILE FLOWS

To date, the quantification of the granted percentile flows has been completed for five stream sections having an instream flow reservation. Preliminary quantifications have been completed for an additional 19 sections on 15 streams. By October 1985, a total of approximately 57 stream sections are scheduled for quantification, leaving approximately 20 to be completed. The remaining 20 include spring creeks in the Upper Yellowstone drainage, sites in the Upper Yellowstone and Shields drainages in which access was blocked by private lands or unobtainable due to the lack of roads, USGS gaging sites needing additional years of record, and tributaries to the Stillwater and Clarks Fork rivers, areas where quantification has not proceeded as yet. The status of the various streams is summarized in Table 3.

The four spring-fed streams in the Upper Yellowstone drainage above Livingston are not amenable to the Riggs' method and may require a more intensive data collection program and likely a different quantification method.

Table 3. Summary of the progress of the MDFWP in quantifying the granted percentile flows for the Yellowstone Instream Flow Reservation.

#### Gaged Stream Sections - Completed Record

#### Quantification Completed

Sweetgrass Creek
Forest Service boundary-mouth

Rock Creek
Custer National Forest-mouth

Bluewater Creek
Headwaters-mouth

Brackett Creek
Mouth-Sheep Creek

Clarks Fork Yellowstone River

#### Quantification Pending

Willow Creek

Forest Boundary-Cooney Reservoir

Red Lodge Creek

Custer National Forest-Cooney Reservoir

#### Gaged Stream Sections - Need Additional Years of Record

#### One Year of Record Needed

Rosebud Creek

Cottonwood Creek-Yellowstone River

Hanging Woman Creek

Mouth of East Fork-Tongue River

Otter Creek

Mouth of Bear Creek-Tongue River

Pumpkin Creek

Mouth of Deer Creek-Tongue River

#### Five Years of Record Needed

Shields River at mouth

#### Riggs' Method - Quantified by April 1984

Bear Creek

Mouth-North Fork of Bear Creek North Fork of Bear Creek-Fish Creek

Billman Creek

Mouth-Mouth of Coke Creek Coke Creek-Fork South of NE Corner, Sec. 20

Cedar Creek

Mouth-Second Fork of Cedar Creek

Cinnabar Creek

Mouth-Cottonwood Creek

Cottonwood Creek-Forest Service Boundary (T8S, R7W, S32)

Coke Creek

Mouth-Minor Creek

Eightmile Creek

Mouth-Big Draw

Fleshman Creek

Mouth-Perkins Creek

Fridley Creek

Mouth-Miller Creek

Miller Creek-Needle Creek

Mill Creek

Mouth-East Fork

Mol Heron Creek

Mouth-Cinnabar Creek

Cinnabar Creek-Yellowstone Park boundary

Rock Creek

Mouth-Steele Creek

Six Mile Creek

Mouth-North Fork of Six Mile Creek

Suce Creek

Mouth-Lost Creek

Tom Miner Creek

Mouth-Canyon Creek

Canyon Creek-Trail Creek

Trail Creek

West Pine Creek-South boundary of Sec. 35

#### Riggs' Method - Quantified by April 1985

Brackett Creek

Sheep Creek-Skunk Creek

Skunk Creek-Confluence of North, Middle & South forks

One mile up North Fork

One mile up Middle Fork

One mile up South Fork

Cottonwood Creek

Mouth-Little Cottonwood Creek

Little Cottonwood Creek-Trespass Creek

Flathead Creek

Mouth-Muddy Creek

Muddy Creek-Cache Creek

Cache Creek-South Fork of Flathead Creek

Rock Creek

Mouth-Forest Service West boundary in Sec. 8

Smith Creek

Mouth-Bitter Creek

Bridger Creek

Headwaters-Krone Ditch Headgate

Little Mission Creek

Mouth-Little Mission Forks

Lower Deer Creek

Headwaters-Interstate Highway 90

Mission Creek

Mouth-Little Bear Draw

Sweet Grass Creek

Forest Service boundary-mouth

Upper Deer Creek

Headwaters-point upstream from Interstate 90 Bridge

#### Riggs' Method - Quantified by October 1985

Castle Creek

Mouth-1,500 ft above Picket Pin Creek

East Rosebud Creek

Custer National Forest boundary-West Rosebud Creek

Fishtail Creek

Confluence of East and West Fishtail creeks-Mouth

Picket Pin Creek

Mouth-Mouth of Swamp Creek

West Fork of Stillwater River

Mouth-Castle Creek

Castle Creek-Sweetgrass/Stillwater County Line Sweetgrass/Stillwater County Line-Tumble Creek

Butcher Creek

West Butcher Creek-Mouth

#### Remaining Stream Sections Needing Quantification

#### Yellowstone Tributaries

Big Creek
Mill Fork Creek-Bark Cabin Creek

Cedar Creek
Second Fork-North Fork

Eight Mile Creek
Big Draw-North Fork of Eight Mile Creek

Trail Creek
Mouth-West Pine Creek

Armstrong Spring Creek Mouth-Origin

Nelson Spring Creek Mouth-Origin

McDonald Spring Creek
Mouth-Northern boundary of Sec. 32

Emigrant Spring Creek
Mouth-Origin

#### Shields River Tributaries

Rock Creek
Forest Service West Boundary in Sec. 8
-Smeller Creek

#### Stillwater River Tributaries

East Fishtail Creek
West Fishtail Creek-its East Fork

Little Rocky Creek
Mouth-Forest Service Road #1414

West Fishtail Creek
East Fishtail Creek-Richmond/Kennedy Ditch

#### Stillwater River Tributaries Continued

West Rosebud Creek
Custer National Forest boundary-Fiddler Creek
Fiddler Creek-Mouth

Butcher Creek
Headwaters-West Butcher Creek

#### Clarks Fork Tributaries

Clear Creek
Headwaters-Mouth

Dry Creek Headwaters-Mouth

Sage Creek
Headwaters-Crow Reservation

#### WATER AVAILABILITY - YELLOWSTONE RIVER AT BILLINGS

In 1979, after the Yellowstone Reservation was established, a problem was noted in the reservations granted for the Yellowstone at Billings with respect to the availability of water allocated to the conservation districts. The problem was perceived as follows.

The MDFWP was granted an instream flow reservation for August and September of 4,090 and 3,415 cfs, respectively. This corresponds roughly to the 65th percentile flow and means that water in excess of our reservation occurs approximately 65 years out of 100. Flows granted for May, June and July represent approximately the 85th percentile level. The instream reservations were given second priority in this reach.

The conservation districts at Billings and upstream were granted reservations totaling 207,764 af/yr and were given third priority. To economically develop efficient, full-service irrigation systems, a good water supply is usually considered to be necessary about 8 years out of 10, on the average.

Since these conservation district reservations are junior to the instream reservation, they are subject to a certain water availa bility constraint. For the months of August and September, the constraint imposed by the 65th percentile instream flow level does not allow for the economic development of the water reserved for the conservation districts in this reach of river.

After consideration of the matter, the MDFWP determined that the instream flow reservation could be reduced during the irrigation season (May 1 through September 30) to the levels indicated in Table 4. These levels should not cause serious degradation of the aquatic and recreational resources in that reach of the Yellowstone. The priority of the instream reservation would prevent future irrigation withdrawals from increasing the frequency or severity of low flow events. At the same time, water availability to the conservation districts would be increased.

In addition, the purpose of the high water period (May-July 10) is to provide flows sufficient to initiate bedload movement (Dominant Discharge) and sediment transport. The annual flushing action cleanses intergravel spaces assuring successful fish reproduction and adequate food production. With adequate high flows, the existing channel morphology is assured.

Table 4. Revised MDFWP Proposed Instream Flow Reservation, Yellowstone River at Billings, Montana (May 1-September 30).

		Flow		Approx.
Month	CFS	Acre-ft		Percentile
May (1-20)	5,124	203,199		90.0
May (21-31)	12,204	266,214		
Jun (1-7)	17,242	239,337		87.8
Jun (8-30)	19,042	868,487		
Jul (1-10)	10,277	203,786	84.3% <b>)</b>	01 1
Jul (11-31)	4,000	153,720	97.5%	91.1
Aug	3,500	215,156	,	83.0
Sep	3,000	178,470		82.3

It is recognized that the only real possibility for altering the spring hydrograph and materially affecting channel configuration on the Yellowstone is a mainstem impoundment. Normal irrigation demands on the Yellowstone during the high flow months should not significantly affect the spring hydrograph. With this in mind, MDFWP suggested that those lands which are developed for irrigation with waters granted to the conservation districts and subject to water availability constraints from July 11 through September 30, would not be subject to water availability constraints from May 1 through July 10.

The principal irrigated crop in the Yellowstone basin upstream from Billings is hay, although some cash crop farming exists. The lack of water availability constraints during the high flow months should allow for the production of two hay crops during most years, even if water is somewhat restricted during August and September during drought years.

On November 21, 1980, the Board amended the original order, reducing the instream flow reservation during the irrigation season (May 1 through September 30) to the levels indicated in Table 5, thus increasing water availability for the upper river conservation districts. The total instream flow reservation at Billings was reduced from 3,902,134 acre-feet of water per year to 3,679,968 acre-feet.

One question remains concerning the water availability situation above Billings. It has been pointed out that, while MDFWP agreed to allow unrestricted depletions from conservation district reservations to occur from May 1 through July 10, this may not be legally binding at some point in the future. To alleviate this concern, MDFWP will offer to enter into a legally binding contract with the upper river conservation districts, whereby the MDFWP will stipulate that the instream reservation will not interfere with the utilization of the conservation district reservation for the period of May 1 through July 10, under any circumstances.

Table 5. Amended instream flow reservation, Yellowstone River at Billings, Montana (May 1-September 30).

	]	Flow	Approx.
Month	CFS	Acre-ft	<u>Percentile</u>
May (1-20)	5,121	203,132	91.3
May (21-31)	12,200	266,177	81.3
Jun (1-7)	17,236	239,306	83.8
Jun (8-30)	18,716	853,816	81.0
Jul (1-10)	10,274	203,781	85.2
Jul (11-31)	4,000	166,611	95.5
Aug	3,500	215,205	83.0
Sept	3,107	184,878	81.0

### YELLOWSTONE RIVER INSTREAM FLOW UPDATE TONGUE RIVER

The Tongue River is a north-flowing tributary to the Yellow-stone River important to the Lower Yellowstone Basin. Streamflows are largely controlled by the Tongue River Dam near the Wyoming border. The lower portion of the Tongue River is important to Yellowstone River fish populations. Spring spawning sauger and shovelnose sturgeon enter the Tongue River in spring when streamflows are high, spawn, and then return to the Yellowstone River.

Maintenance of the resident fish populations and suitable spawning areas for migratory species is dependent on adequate flows in the Tongue. The department requested instream flows at the mouth of the Tongue River amounting to 290,000 acre-feet per year. Recommended flows ranged from 190 cfs during late fall and winter to 600 cfs during the spring period. These flows were designed to maintain both the resident and migratory fish populations.

The flow reservation granted on the Tongue River totaled 54,289 af/yr, or an average of 75 cfs for each month. The original request was reduced to allow as much firm water as possible for the proposed new Tongue River Dam. While 75 cfs could be considered a good flow during the summer when the river has historically gone dry, 75 cfs cannot be considered an adequate flow at other times.

In recent years, streamflows in the Lower Tongue in April and May have been unseasonably low and insufficient to attract sauger and shovelnose sturgeon spawners from the Yellowstone. The flows were, however, in the range of those granted by the Board for instream purposes.

The following is a brief description of the results of field sampling for sauger and shovelnose sturgeon in the Lower Tongue River, as related to streamflows, for the years 1980 through 1982.

#### 1980

Streamflows decreased through April and May causing very low numbers of sauger and shovelnose sturgeon to enter the river. Streamflows never reached recommended minimums in April and May. Significantly larger flows in June came too late to attract fish into the Tongue River.

#### 1981

April and May streamflows were very low. Very few sauger entered the river. No shovelnose sturgeon were sampled. Again, large

streamflows in June came after the sauger spawning season and too late to attract shovelnose sturgeon migrants.

#### 1982

Streamflows were somewhat better than in 1981, but still well below requested instream flows. Resultant sauger movement into the Lower Tongue River was low. Some sturgeon moved into the Tongue River, but numbers were far below those of good flow years such as 1974, 1975 and 1976. Spawning by both species apparently failed as no larval sauger or shovelnose sturgeon were present in drift samples.

Recent low spring flows during the past several years have illustrated the inadequacies of the instream flow reservation for the Tongue River. Streamflow in the Tongue River is dependent upon releases from the Tongue River Dam. Future development plans for the Tongue River Dam should consider restoration of that portion of the spring flows for fisheries purposes.

# UPDATE OF LEGAL PROCEEDINGS RELATED TO YELLOWSTONE RIVER WATER RESERVATION

Since December 15, 1978, when the Board established the Yellowstone Water Reservations, a number of legal issues have been raised and resolved. These issues have been discussed in detail in the Annual Instream Reservation reports (numbers 1, 2 and 3). The <u>Utah V DF & G, et al.</u> case is the only case not settled or otherwise disposed of at this time.

APPENDIX

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATION	N 06207500	CLARKS F	FORK YELLO	ELLOWSTONE RIV	IVER NEAR BE	ELFRY, MI.	DATE	PROCESSE007/25/7	07/25/75
PLOIFING	TING POINTS	FOR DURAL	ATION HYDROGR	APH FOR	49-YEAR PE	RIOD BETWE	EN WATER	YEARS 1926	AND 1974
DATE	нВІн	.10	• 20	• 30	• 50	.70	. 80	06.	0
1-01	90	314.00	0	•	0.0	0.96	0.0	50.0	0.04
0	78.0	01.0	88.0	70.0	0.04	00.0	30.0	65.0	0.04
0	62.0	0.00	73.0	65.0	35.0	03.0	80.0	50.0	20.02
0		0.00	oo o	65.0	<b>~</b> 1	205.00	130.00	150.00	122.00
) 	O • V o	0.10	0.07	0	30.0	10.0	90•0 €	20.0	30.0
0	0	0	90.0	60.0	28.0	0.50	90·0	50.0	0.0
0	51.0	26.0	0.06	72.0	35.0	10.0	P.O.O.	50.0	0.0
0	0.09	26.0	a4.0	78.0	0.04	02.0	0.0	60.0	0.0
	~		596.00	200.00	230.00	210.00	180.00	170.00	140.00
7	80°0	0.90	o • 06	0.49	34.0	02.0	80.0	70.0	3.0
-	46.0	12.0	90.0	84.0	36.0	0.00	0.0	70.0	0.50
1-12	360.00	320.00	300.00	280.00	234.00	200.00	181.00	170.00	100.00
7	80.0	20.0	0.00	80.0	35.0	0.00	0.0	64.0	30.0
7	0.00	31.0	10.0	70.0	20.0	0.00	0.0	50.0	40.0
7	0.44	25.0	01.0	60.0	30.0	0.00	0.0	52.0	0.00
7	0.76	30.0	0.68	55.0	22.0	0.00	0.0	50.0	0 • •
7	84.0	26.0	96.0	61.0	22.0	93.0	5.0	50.0	0.0
1-10	390.00	320.00	278.00	253.00	230.00	191.00	130.00	150.00	
7	20.0	0.00	76.0	50.0	25.0	95.0	0.0	55.0	0.00
-2	35.0	96.0	70.0	55.0	15.0	0.96	0.0	50.0	0.0
-2	10.0	84.0	76.0	60.0	20.0	96.0	0.0	70.0	0.04
-2	70.07	00.00	78.0	63.0	30.0	00.00	0.0	70.0	40.0
1-23	327.00	300.000	268.00	255.00	235.00	200.00	165.00	170.00	140.00
2	31.0	0.00	84.0	65.0	30.0	0.00	0.0	55.0	40.0
-2	30.0	0.00	94.0	50.0	25.0	0.86	0.0	0.09	0.04
-2	41.0	96.0	76.0	55.0	28.0	95.0	5.0	70.0	40.0
1-27	362.00	299.00	267.00	250.00	220.00	199.00	180.00	160.00	140.00
-2	57.0	0.00	65.0	50.0	20.0	0.00	0.0	65.0	25.0
-2	51.0	0.06	80.0	55.0	0.04	93.0	0.0	70.07	25.0
<b>.</b>	41.0	0.06	73.0	29.0	20.0	0.56	0.0	0.09	0.04
J	41.0	90 · 0	71.0	57.0	36.0	95.0	0.0	60.0	0.0v
MEAN	345.00	282.00	264.00	257.00	242.00	209.00	186.00	170.00	140.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

)

DATE HIGH POINTS FOR DURATION HYDROCRAPH FOR 49-YEAR PERIOD BLTMEEN WAIER YEARS 1926 AND 1971  2-01 49-70.0 280-000 265-000 225-00 200-000 180-00 150-000 140-000 200-	STATIO	STATION 06207500	CLARKS F	FORK YELLO	YELLOWSTONE RIVER	NEAR	BELFRY, MT.	. DATE P	PROCESSED07/25/7	07/25/75
A1         H1GH         .10         .20         .30         .50         .70         .80         .90         LOA           -0.2         255.00         255.00         235.00         200.00         175.00         150.00         140.00           -0.3         400.00         260.00         255.00         235.00         200.00         175.00         140.00           -0.3         400.00         270.00         255.00         240.00         170.00         150.00         150.00           -0.4         400.00         270.00         255.00         240.00         170.00         150.00	PLOT	POINT	98	IION HYDRU	FOR			WATER Y	EARS 1926	AND 1974
-0.1         417.00         299.00         265.00         259.00         230.00         200.00         175.00         155.00         140.00           -0.2         305.00         270.00         255.00         225.00         225.00         199.00         180.00         150.00	ΑĪ	ပ	_		3	Ś		00		
195.00         286.00         266.00         255.00         225.00         200.00         180.00         150.00<	0	17.0	0.06	65.0	59.0	30.0	200.00	175.00	50.0	
-0.3 400.000 300.000 270.000 255.00 240.000 199.00 180.00 150.000 100.000 301.000 270.000 240.000 199.00 180.00 150.000 100.000 301.000 270.000 240.000 199.00 180.00 150.000 100.000 285.000 271.000 255.00 240.000 199.00 180.00 150.000 100.000 285.00 255.00 240.000 260.000 180.00 180.00 150.000 100.000 255.000 255.00 240.000 260.000 180.00 180.00 150.000 100.000 255.000 250.000 260.000 260.000 260.000 260.000 260.000 180.000 180.00 150.000 110.000 150.000 110.000 255.000 250.000 225.000 200.000 180.000 150.000 110.000 150.000 110.000 255.000 250.000 225.000 200.000 180.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150.000 110.000 150	0	95.0	80.0	0.09	55.0	25.0	200.00	80.0	•	Š
	0	0.00	0.00	70.0	59.0	35.0	504.00	80.0	্	150.00
-05         594,000         285,000         240,000         199,00         199,00         150,00           -07         480,000         289,000         281,000         280,000         199,000         180,000         150,00           -07         430,000         284,000         255,000         238,000         196,000         180,000         150,000           -09         370,000         284,000         259,000         250,000         200,000         180,000         150,000           -10         450,000         294,000         250,000         250,000         200,000         180,000         150,000           -11         450,000         294,000         250,000         225,000         200,000         180,000         150,000           -11         450,000         284,000         250,000         225,000         200,000         180,000         150,000           -13         375,000         284,000         255,000         231,000         200,000         180,000         150,000           -14         420,000         284,000         255,000         225,000         200,000         180,000         150,000           -15         480,000         284,000         250,000         225,000	9	0.00	01.0	70.0	63.0	0.07	199.00	80.0	़	<b>.</b>
-07         480.00         290.00         261.00         252.00         240.00         196.00         180.00 <td>-0</td> <td>294.0</td> <td>85.0</td> <td>71.0</td> <td>61.0</td> <td>0.04</td> <td>٥,</td> <td>80.0</td> <td>•</td> <td>•</td>	-0	294.0	85.0	71.0	61.0	0.04	٥,	80.0	•	•
-07 430.00 284.00 253.00 255.00 20.00 180.00 180.00 150.00 -08 385.00 271.00 259.00 251.00 220.00 180.00 180.00 150.00 -09 370.00 310.00 259.00 251.00 220.00 180.00 180.00 150.00 -10 450.00 299.00 260.00 251.00 220.00 180.00 180.00 150.00 -11 420.00 299.00 271.00 255.00 233.00 200.00 180.00 150.00 -13 375.00 300.00 271.00 255.00 233.00 200.00 180.00 180.00 150.00 -14 420.00 299.00 271.00 255.00 233.00 200.00 180.00 180.00 150.00 -15 480.00 281.00 265.00 255.00 220.00 200.00 180.00 150.00 -16 480.00 281.00 260.00 255.00 220.00 200.00 180.00 150.00 -17 440.00 281.00 255.00 249.00 220.00 200.00 180.00 150.00 -18 480.00 281.00 255.00 249.00 220.00 200.00 180.00 150.00 -19 370.00 281.00 255.00 270.00 250.00 220.00 180.00 180.00 167.00 -20 360.00 270.00 260.00 270.00 270.00 270.00 180.00 180.00 170.00 -21 362.00 270.00 250.00 220.00 200.00 180.00 170.00 170.00 -22 380.00 270.00 255.00 240.00 222.00 200.00 180.00 170.00 170.00 -23 390.00 270.00 255.00 244.00 222.00 199.00 170.00 150.00 -24 380.00 270.00 255.00 240.00 222.00 199.00 170.00 150.00 -25 390.00 270.00 255.00 244.00 222.00 199.00 170.00 150.00 -27 590.00 270.00 255.00 244.00 222.00 199.00 170.00 150.00 -28 480.00 270.00 255.00 244.00 222.00 199.00 170.00 150.00 -29 380.00 270.00 255.00 240.00 222.00 199.00 180.00 150.00 -27 590.00 270.00 255.00 260.00 270.00 180.00 180.00 150.00 -28 480.00 270.00 255.00 250.00 222.00 199.00 180.00 150.00 -29 380.00 270.00 255.00 260.00 270.00 180.00 180.00 150.00 -20 380.00 270.00 250.00 247.00 222.00 199.00 180.00 150.00 -20 380.00 270.00 250.00 247.00 222.00 199.00 180.00 150.00 -20 380.00 270.00 250.00 247.00 222.00 199.00 180.00 150.00 -20 380.00 270.00 250.00 247.00 222.00 199.00 180.00 180.00 150.00 -20 380.00 270.00 250.00 247.00 222.00 199.00 180.00 180.00 150.00 -20 380.00 270.00 250.00 247.00 220.00 18	0	80.0	90.0	61.0	52.0	0.04	0.0	80.0	0	150.00
1985.00         271.00         255.00         220.00         200.00         180.00         150.00           10         395.00         271.00         255.00         220.00         191.00         150.00         150.00           10         300.00         294.00         255.00         220.00         194.00         160.00         150.00           11         420.00         294.00         255.00         225.00         225.00         194.00         160.00         150.00           12         375.00         294.00         255.00         233.00         207.00         160.00         150.00           13         375.00         294.00         255.00         233.00         207.00         160.00         150.00           14         420.00         284.00         255.00         233.00         207.00         160.00         150.00           15         420.00         284.00         255.00         223.00         200.00         160.00         150.00           15         440.00         284.00         250.00         222.00         200.00         160.00         150.00           15         300.00         275.00         265.00         225.00         200.00         160.00	0	30.0	84.0	53.0	55.0	38.0	5.0	80.0	0	70.00
-11 420.00 284.00 256.00 255.00 191.00 180.00 150.00 11 420.00 284.00 260.00 250.00 255.00 194.00 180.00 150.00 11 420.00 284.00 271.00 255.00 223.00 207.00 180.00 150.00	0	85.0	71.0	59.0	51.0	20.02	0.0	90.08	0	00.06
-10	0	70.0	10.0	0.85	51.0	20.02	. ·	80.0	•	0.0
-12 324.00 297.00 250.00 255.00 225.00 194.00 166.00 150.00 150.00 150.00 150.00 150.00 150.00 254.00 297.00 271.00 255.00 205.00 166.00 166.00 150.00 150.00 150.00 150.00 271.00 255.00 233.00 207.00 160.00 150.00 150.00 150.00 150.00 150.00 150.00 150.00 244.00 254.00 255.00 223.00 205.00 160.00 161.00 150.00 150.00 161.00 150.0	7	50.0	0.76	0.09	50.0	50.0	J . C	80.0	٠.	0.0
-12 324.00 297.00 271.00 252.00 225.00 200.00 186.00 153.00 15013 426.00 200.00 271.00 250.00 233.00 207.00 180.00 158.00 15914 420.00 224.00 267.00 255.00 2231.00 205.00 180.00 150.00 14515 420.00 224.00 263.00 253.00 223.00 200.00 180.00 150.0	-	20.0	80.0	60.0	50.0	25.0	0.46	90.0	0.0	50.0
-13 375.00 300.00 271.00 255.00 233.00 207.00 180.00 158.00 150.00 145.00 251.00 255.00 231.00 205.00 180.00 150.00 150.00 150.00 150.00 251.00 255.00 223.00 200.00 180.00 150.0	7	24.0	97.0	71.0	52.0	25.0	0.00	86.0	3.0	0.0
-14 420.00 294.00 267.00 255.00 231.00 205.00 180.00 150.00 14515 480.00 284.00 265.00 249.00 220.00 180.00 180.00 150.00 150.00 -16 480.00 287.00 261.00 255.00 229.00 200.00 180.00 158.00 15017 440.00 287.00 261.00 250.00 229.00 200.00 180.00 158.00 15018 400.00 275.00 260.00 250.00 229.00 200.00 180.00 158.00 15019 370.00 284.00 266.00 250.00 220.00 180.00 180.00 167.00 15021 362.00 265.00 250.00 222.00 200.00 180.00 167.00 15022 330.00 275.00 250.00 247.00 222.00 200.00 180.00 167.00 15024 330.00 286.00 260.00 247.00 222.00 180.00 180.00 167.00 15025 380.00 286.00 260.00 244.00 222.00 190.00 177.00 150.00 10025 380.00 286.00 265.00 244.00 222.00 190.00 177.00 150.00 10026 380.00 286.00 265.00 248.00 222.00 190.00 177.00 150.00 10027 380.00 286.00 255.00 248.00 222.00 190.00 177.00 150.00	7	75.0	0.00	71.0	50.0	33.0	0.70	HO.0	8°0	•
-15 510.00 286.00 263.00 250.00 223.00 200.00 160.00 151.00 150.00 281.00 255.00 249.00 229.00 200.00 180.00 158.00 150.00 240.00 275.00 261.00 229.00 200.00 180.00 158.00 150.00 264.00 256.00 229.00 200.00 180.00 158.00 150.00 264.00 266.00 250.00 229.00 200.00 180.00 158.00 150.00 264.00 266.00 250.00 220.00 180.00 161.00 150.00 264.00 266.00 250.00 222.00 200.00 180.00 162.00 150.00 265.00 220.00 200.00 180.00 162.00 150.00 255.00 266.00 222.00 200.00 181.00 167.00 150.00 255.00 266.00 222.00 200.00 181.00 167.00 150.00 256.00 266.00 222.00 200.00 181.00 167.00 150.00 150.00 266.00 266.00 222.00 200.00 181.00 167.00 150.00 150.00 266.00 266.00 222.00 200.00 181.00 167.00 150.00 150.00 266.00 266.00 222.00 200.00 181.00 167.00 150.00 150.00 266.00 266.00 266.00 222.00 181.00 180.00 150.00 150.00 150.00 150.00 266.00 266.00 222.00 222.00 181.00 177.00 150.00 150.00 150.00 150.00 150.00 266.00 266.00 266.00 222.00 196.00 177.00 150.0	7	20.05	0.46	67.0	55.0	31.0	0.50	0.0	0.0	5.0
-16 480.00 281.00 255.00 249.00 229.00 200.00 180.00 158.00 150.00 150.00 287.00 250.00 229.00 200.00 180.00 158.00 150.00 275.00 260.00 250.00 229.00 200.00 180.00 158.00 150.00 275.00 266.00 250.00 220.00 200.00 180.00 161.00 150.00 275.00 266.00 250.00 222.00 200.00 180.00 162.00 150.00 255.00 255.00 222.00 200.00 181.00 167.00 150.00 255.00 271.00 260.00 247.00 222.00 200.00 181.00 177.00 150.00 150.00 255.00 247.00 222.00 200.00 181.00 177.00 150.00 150.00 250.00 247.00 222.00 181.00 181.00 150.00 150.00 250.00 247.00 222.00 190.00 177.00 150.00 150.00 255.00 248.00 222.00 190.00 177.00 150.00 150.00 150.00 255.00 255.00 222.00 190.00 177.00 150.00 150.00 150.00 255.00 248.00 222.00 190.00 177.00 150.00 150.00 150.00 255.00 255.00 222.00 222.00 190.00 177.00 150.00 150.00 150.00 150.00 255.00 248.00 222.00 190.00 177.00 150.00 150.00 150.00 150.00 255.00 255.00 220.00 222.00 190.00 177.00 150.0	-	10.0	88·0	63.0	50.0	23.0	00.0	0.0	1.0	0.0
-17 440.00 287.00 256.00 259.00 259.00 205.00 180.00 158.00 15018 400.00 275.00 250.00 259.00 229.00 200.00 180.00 158.00 15019 370.00 254.00 256.00 250.00 220.00 200.00 185.00 161.00 15020 364.00 273.00 256.00 250.00 222.00 200.00 180.00 167.00 15021 362.00 273.00 255.00 242.00 222.00 200.00 180.00 167.00 15022 325.00 271.00 256.00 242.00 222.00 200.00 181.00 177.00 150.00 15024 350.00 271.00 258.00 247.00 222.00 200.00 181.00 177.00 150.00 15025 380.00 282.00 244.00 222.00 194.00 177.00 150.00 10026 380.00 282.00 255.00 260.00 222.00 196.00 177.00 150	1	80.0	81.0	55.0	0.65	20.0	0.0	0 • 0	0	0.0
-14 400.00 275.00 250.00 229.00 200.00 180.00 158.00 150.00 -19 370.00 254.00 266.00 250.00 220.00 200.00 185.00 161.00 150.00 -20 364.00 277.00 266.00 250.00 222.00 200.00 180.00 162.00 150.00 -21 362.00 277.00 255.00 242.00 220.00 181.00 177.00 150.00 150.00 -23 330.00 277.00 255.00 247.00 222.00 200.00 177.00 150.00 150.00 -24 350.00 275.00 261.00 247.00 222.00 199.00 177.00 150.00 150.00 -25 380.00 286.00 255.00 244.00 222.00 199.00 177.00 150.00 150.00 -25 380.00 286.00 255.00 248.00 222.00 199.00 177.00 150.00 100.00 -27 530.00 275.00 255.00 248.00 222.00 199.00 177.00 150.00 100.00 -28 380.00 276.00 255.00 248.00 220.00 196.00 177.00 150.	7	0.04	97.0	61.0	50.0	29.0	5.0	0.0	0.	ċ
-19 370.00 266.00 250.00 220.00 200.00 185.00 161.00 15020 364.00 279.00 259.00 220.00 200.00 180.00 162.00 15021 362.00 265.00 259.00 222.00 200.00 1810.00 167.00 15022 325.00 271.00 255.00 247.00 222.00 200.00 1810.00 177.00 15024 350.00 275.00 255.00 247.00 222.00 199.00 177.00 150.00 15025 390.00 286.00 247.00 222.00 199.00 177.00 150.00 15026 380.00 286.00 255.00 244.00 222.00 199.00 177.00 150.00 10027 390.00 286.00 255.00 248.00 222.00 199.00 177.00 150.00 10028 380.00 286.00 255.00 248.00 222.00 199.00 177.00 150.00 10029 380.00 290.00 255.00 248.00 220.00 199.00 177.00 150.00 10020 380.00 290.00 255.00 248.00 220.00 199.00 189.00 150.	7	0.00	75.0	0.09	50.0	29.0	0.0	0.0	•	0.0
-20 364.00 279.00 259.00 225.00 200.00 180.00 162.00 150.  -21 362.00 265.00 259.00 220.00 222.00 180.00 181.00 167.00 150.  -22 325.00 271.00 265.00 247.00 222.00 200.00 181.00 167.00 150.  -24 350.00 271.00 260.00 247.00 220.00 181.00 177.00 150.00 150.  -25 390.00 282.00 247.00 222.00 199.00 177.00 150.00 100.  -26 380.00 286.00 255.00 247.00 222.00 196.00 177.00 150.00 100.  -27 530.00 226.00 255.00 248.00 229.00 196.00 177.00 150.00 100.  -28 480.00 276.00 255.00 248.00 221.00 199.00 189.00 150.0	7	70.0	94.0	999	50.0	20.0	9.0	5.0	•	0.0
-21 362.00 265.00 255.00 242.00 222.00 200.00 181.00 167.00 15023 325.00 271.00 255.00 247.00 222.00 200.00 181.00 177.00 15024 330.00 271.00 260.00 247.00 222.00 200.00 177.00 157.00 15024 350.00 275.00 258.00 247.00 222.00 181.00 177.00 150.00 15025 380.00 286.00 255.00 248.00 222.00 196.00 177.00 150.00 10027 530.00 286.00 255.00 248.00 229.00 196.00 177.00 150.00 10028 480.00 278.00 255.00 248.00 221.00 196.00 177.00 150.00 10029 480.00 278.00 255.00 248.00 221.00 196.00 177.00 150.0	-2	0.49	73.0	0.99	50.0	25.0	0.0	0.0	•	0.0
-24 330.00 271.00 255.00 242.00 220.00 200.00 181.00 170.00 150.00 150.00 271.00 260.00 247.00 222.00 200.00 177.00 167.00 150.00 150.00 271.00 258.00 247.00 222.00 181.00 180.00 150.00 150.00 150.00 282.00 282.00 248.00 222.00 190.00 177.00 150.00 100.00 282.00 286.00 255.00 250.00 222.00 196.00 177.00 177.00 150.00 100.00 278.00 255.00 248.00 221.00 196.00 177.00 150.00 100.150.00 100.150.00 278.00 256.00 248.00 221.00 196.00 180.00 150.	-2	62.0	65.0	59.0	50.0	22.0	0.00	0.0	7.0	0.0
-24 330.00 271.00 260.00 247.00 222.00 200.00 177.00 167.00 15024 350.00 275.00 258.00 247.00 220.00 181.00 180.00 150.00 150.00 -25 390.00 286.00 261.00 248.00 222.00 196.00 176.00 150.00 10025 380.00 286.00 255.00 250.00 229.00 196.00 177.00 150.00 10027 530.00 278.00 255.00 248.00 221.00 196.00 177.00 150.00 10028 480.00 278.00 256.00 248.00 221.00 196.00 180.00 150.00	-2	25.0	71.0	55.0	42.0	20.0	00.0	0.1	0.0	50.
-24 350.00 275.00 258.00 247.00 220.00 181.00 180.00 150.00 150.00 150.00 -25 390.00 282.00 248.00 222.00 199.00 176.00 150.00 100. 100. 255.00 255.00 229.00 196.00 177.00 177.00 150.00 10027 530.00 278.00 255.00 248.00 221.00 196.00 179.00 150.00 100. 150.00 150.0	-2	30.0	71.0	0.09	47.0	22.0	0.00	7.0	7.0	50.0
-25 390.00 282.00 261.00 248.00 222.00 199.00 176.00 150.00 10025 380.00 286.00 255.00 250.00 229.00 196.00 177.00 150.00 7527 530.00 290.00 255.00 248.00 221.00 196.00 179.00 150.00 10028 480.00 278.00 254.00 248.00 221.00 199.00 180.00 150.00 150.00 150.00	- 2	20.0	75.0	58.0	47.0	20.0	81.0	0.0	0.0	50.0
-25 380.00 286.00 255.00 259.00 196.00 177.00 150.00 75. -27 530.00 290.00 255.00 245.00 230.00 196.00 177.00 150.00 100. -28 480.00 278.00 254.00 248.00 221.00 199.00 180.00 150.00 150.00 150.00 150.00 150.00	-2	90.0	82.0	61.0	0.84	22.0	0.66	0.9	0.0	0.0
-27 530.00 290.00 255.00 245.00 230.00 196.00 179.00 150.00 100. -28 480.00 278.00 254.00 248.00 221.00 199.00 180.00 150.00 150. EAM 329.00 291.00 256.00 249.00 236.00 202.00 185.00 168.00 150.	-2	80.0	86.0	55.0	50.0	29.0	96.0	)	50.0	_
-28 480.00 276.00 254.00 248.00 236.00 202.00 185.00 168.00 150.00 150.	2-2	30.0	0.06	55.0	0.0°	30.0	0.9	J . C	50.0	100.00
EAM 329.00 291.00 256.00 249.00 236.00 202.00 185.00 168.00 150.	7	80.0	0.8/	54.0	0 • 8 <b>7</b>	۲I.0	0 · 6	•	20.0	_
	لنا	29.0	91.0	56.0	0.64	36.0	05.0	5 .0	68.0	20

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

,)

30.00 20.00 30.00 89.00 30.00 30.00 30.00 32.00 109.00 1114.00 125.00 110.00 105.00 105.00 110.00 123.00 114.00 36.00 36.00 DATE PROCESSEU--07/25/75 YEARS 1926 AND 1974 120.00 114.00 00.60 132.00 15.00 150.00 150.00 150.00 150.00 50.00 150.00 145.00 150.00 150.00 150.00 154.00 157.00 160.00 160.00 165.00 152.00 163.00 150.00 157.00 159.00 163.00 163.00 160.00 49-YEAR PERIOD BETWEEN WATER 180.00 180.00 175.00 170.00 165.00 175.00 180.00 172.00 179.00 170.00 165.00 172.00 178.00 175.00 181.00 175.00 86.00 80.00 184.00 185.00 180.00 183.00 188.00 190.00 165.00 89.00 185.00 .80 CLARKS FORK YELLOWSTONE RIVER NEAR BELFRY. MT. 200.00 200.00 190.00 186.00 191.00 184.00 200.00 193.00 189.00 185.00 182.00 190.00 180.00 198.00 00.561 199.00 197.00 195.00 200.00 200.00 202.00 193.00 200.00 202.00 220.00 210.00 210.00 207.00 220.00 210.00 220.00 225.00 215.00 202.00 210.00 214.00 215.00 215.00 215.00 218.00 214.00 220.00 218.00 218.00 222.00 220.00 222.00 222.00 222.00 225.00 225.00 224,00 FOR DURATION HYDROGRAPH FOR 234.00 231.00 229.00 228.00 228.00 232.00 233.00 235.00 240.00 236.00 232.00 231.00 235.00 230.00 232.00 234.00 237.00 240.00 233.00 235.00 233.00 244.00 239.00 235.00 251.00 245.00 244.00 260.00 247.00 239.00 244.00 241.00 240.00 233.00 235.00 245.00 242.00 240.00 244.00 243.00 243.00 240.00 243.00 235.00 235.00 241.00 247.00 246.00 250.00 240.00 256.00 259.00 267.00 263.00 275.00 276.00 286.00 282.00 247.00 277.00 251.00 251.00 250.00 271.00 272.00 253.00 252.00 265.00 264.00 254.00 253.00 256.00 246.00 258.00 257.00 262.00 278.00 289.00 330,00 330,00 386,00 381.00 392.00 336,00 316.00 348.00 151.00 267.00 PLOTITING POINTS STATION 06207500 359.00 359.00 354.00 382.00 430.00 386.00 314.00 306.00 339.00 307.00 289.00 299.00 441.00 428.00 430.00 600.00 376.00 415.00 466.00 495.00 543.00 524.00 512.00 546.00 560.00 364.00 H16H DATE 3-06 3-07 3-08 3-08 3-10 3-11 3-12 3-13 3-14 3-01 3-02 3-03 3-04 3-05 3-16 3-17 3-18 3-19 3-20 3-21 3-22 3-23 3-24 3-25 3-26 3-27 3-28 3-29 3-30

1

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

<u>, )</u>

STATI	STATION 06207500	CLARKS	FORK	YELLOWSTONE RIVER	NEAR	BELFRY, MT.	DATE	PROCESSEU07/25/7	07/25/75
PLO	PLOTTING POINTS	S FOR BURATION		НҮВRОGRAРН FOA	49-YEAR PE	RIOD BETWEEN	N WATER	YEARS 1926	AND 1974
DATE	н91н	.10	•20	• 30	• 50	07.	08.	06.	LO*
4-01	10.0	82.0	88.0	56.0	33.0	13.0	0.9	0.0	0.9
4-02	16.0	40.0	92.0	65.0	30.0	0.70	0.	58.0	36.0
4-03	442.00	337.00	296.00	271.00	235.00	•	190.00	161.00	123.00
70-7	91.0	31.0	01.0	75.0	29.0	16.0	?	0.0	33.0
4-05	14.0	54.0	13.0	84.0	32.0	0.40	0.6	5 • 0	19.0
0	14.0	95.0	05.0	88.0	0.84	_	5	9.0	23.0
0	81.0	0.40	21.0	95.0	47.0	13.0	90.0	9	14.0
0-	50.0	50.0	35.0	0.50	41.0	22.0	0.0	6.0	2.0
50-7	864.00	425.00	349.00	308.00		225.00	94.	166.00	103.00
7	0.49	39.0	0.49	11.0	55.0	25.0	0.70	7.0	0.90
7	0	98.0	55.0	15.0	0.65	25.0	12.0	68.0	0.9
4-12	41.0	58.0	63.0	24.0	62.0	18.0	0.50	5.0	0.90
4-13	4 0	244.00	378.00		284.00		211.00	169.00	83.00
_	30.0	58.0	54.0	90.0	03.0	50.0	11.0	72.0	5.0
7	80.0	47.0	0.70	14.0	96.0	61.0	14.0	4.0	8.0
4-16	-	5	0.70	ς α	ر می	ď	20.00	72.0	7.0
4-17		27.0	0 · 6 H	7.0	100		34.0	2 0	9
4-16	1510.00	0	244.00	470.00	321.00		219.00	191.00	54.00
61-7	0.0	110.0	87.0	2.0	70.0	55.0	15.0	93.0	2.0
4-20	0.0	0.0	0.00	4.0	51.0	58.0	13.0	3.0	3.0
-2	0.	80.0	41.0	65.0	41.0	55.0	11.0	0.0	1.0
	50.0	2	26.0	58.0	59.0	80.0	11.0	83.0	2.0
4-23	1880.00	7 0	882.00	558.00	402.00	276.00	208.00	189.00	50.00
	60.0	2	58.0	40.0	80.0	0.49	22.0	82.0	0.7
-2	0.06	0	56.0	42.0	77.0	89.0	33.0	6.0	2.0
2	0.010	80.0	5.0	85.0	14.0	<b>3</b> 0	51.0	96.0	3.0
-2	270.0	80.0	50.0	60.0	91.0	14.0	0.67	22.0	4 • 0
4-5H	2170.00	1520.00	1190.00	758.00	516.00	309.00	268.00	218.00	35.00
-2	330.0	80.0	160.0	58.0	51.0	37.0	66.0	24.0	7.0
£.	200.0	20.0	0.020	24.0	65.0	0.04	92.0	23.0	0.6
MEAN	1170.00	817.00	547.00	483.00	366.00	276.00	254.00	245.00	111.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

100.00 296.00 321.00 501.00 22.00 50.00 DATE PROCESSED--07/25/75 AND 1974 00.801 88.00 294.00 296.00 369.00 390.00 454.00 632.00 611.00 623.00 615.00 565.00 768.00 196.00 907.00 8-d.00 116.00 254.00 551.00 00.6EB 200.00 YEARS 1926 1200.00 1270.00 1410.00 1510.00 622.00 660.00 245.00 255.00 259.00 275.00 311.00 326.00 321.00 331.00 357.00 370.00 416.00 450.00 866.00 864.00 967.00 906.00 522.00 1160.00 1030.00 PLOITIING POINTS FOR DURATION HYDRUGRAPH FOR 49-YEAR PERIOD BETWEEN WATER 308.00 370.00 372.00 376.00 410.00 482.00 532.00 480.00 670.00 790.00 954.00 957.00 957.00 1140.00 1360.00 1370.00 1460.00 1550.00 1550.00 970.00 00.0551 2160.00 422.00 244.00 504.00 36.00 850.00 00.0761 1270.00 .80 CLARKS FORK YELLOWSTONE RIVER NEAR BELFRY, MI. . 1150.00 1380.00 1580.00 1760.00 1620.00 900.006 2500.00 2260.00 2500.00 414.00 406.00 443.00 488.00 595.00 618.00 803.00 993.00 1160.00 2430.00 667.00 648.00 640.00 748.00 00.866 1560.00 586.00 642.00 749.00 939.00 863.00 1720.00 <120.00 2230.00 2210.00 2600.00 2830.00 588.00 609.00 920.00 1170.00 350.00 1460.00 3000.00 3310.00 3750.00 1910.00 956.00 1160.00 2050.00 2420.00 1210.00 820.00 850.00 974.00 1050.00 1310.00 1390.00 1380.00 580.00 2070.00 2500.00 2420.00 2510.00 2990.00 3160.00 3020.00 3000.00 2940.00 3100.00 3540.00 3870.00 4280.00 4770.00 4860.00 2250.00 1800.00 1960.00 2120.00 00.0595 1150.00 1120.00 1180.00 1460.00 1540.00 1680.00 1720.00 1880.00 1940.00 1870.00 2550.00 2510.00 2590.00 2960.00 2960.00 2870.00 3200.00 3330.00 3550.00 4000.00 3880.00 4220.00 5010.00 5070.00 5350.00 5510.00 2560.00 2100.00 2400.00 940.00 2350.00 2460.00 2970.00 5010.00 5060.00 5020.00 5250.00 5910.00 5950.00 5790.00 1990.00 2820.00 3200.00 2340.00 6050.00 910.00 3210.00 3280.00 3590.00 4230.00 3700.00 3860.00 5500.00 5 + 70 . 00 3050.00 STATION 06207500 10300.00 9730.00 e570.00 3500.00 3360.00 4600.00 5120.00 5120.00 6650.00 4830.00 6490.00 5970.00 5370.00 6920.00 7730.00 8570.00 4570.00 10,400.00 2680.00 2800.00 5620.00 7140.00 5700.00 2870.00 5620.00 6390.00 HIGH 5-0d 5-09 5-10 5-21 5-22 5-23 5-23 5-24 5-01 5-03 5-06 5-11 5-12 5-13 5-14 5-15 5-16 5-18 5-19 5-26 5-28 5-29 5-30 5-31 MEAN 5-04 DATE

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATI	STATION 06207500	CLARKS	FORK	YELLOWSTONE RIV	RIVER NEAR BE	BELFRY, MI.	DATE	PROCESSE007/25/7	-07/25/75
PL0.	PLOTTING POINT	S	ATION HYDRO	FOR DURATION HYDRUGRAPH FOR	49-YEAR	PERIOD BETWEEN	EEN WATER	YEARS 1926	AND 1974
DATE	н16н	•10	• 20	• 30	ns.	07.	08.	06.	LO*
0	190.0	0.0	110.0	450.0	3410.00	480.0	130.0	0	0
6-02	8790.00	6210.00	4810.00	3980.00	3520.00	0	980.	1650.00	200
0	0.000	0.0	100.0	450.0	3300.00	610.0	050.0	٥.	1200.00
0	0.040	0.0	350.0	$\sim$	3300.00	520.0	260.0	0	300.0
0	370.0	0.0	370.0	6000.0	3250.00	800.0	480.0	•	180.0
0	0.044	0.0	280.0	810.0	3630.00	970.0	310.0	2040.00	1170.00
6-07	8630.00	•		10.		0	•	940	310.
0	400.0	0.0	630.0	840.0	0.0	0.060	190.0	0.00	0.0
0	500.0	0.0	0.000	360.0	0	750.0	450.0	0.096	380.0
7	050.0	0.0	210.0	0.009	0.0	780.0	010.0	0.00	0.0
7	0.070	6790.00	760.0	0.060	3940.00	140.0	0.029	0.060	0.00
7	290.0	0	820.0	0.060	0.000	2007	670.0	290.0	60.0
6-13	7880.00	7140.00	6500.00	5340.00	4250.00	3090,00			1590.00
7	400.0	0.0	010.0	380.0	230.0	0.070	760.0	200.0	30.0
7	410.0	0.0	750.0	100.0	280.0	200.0	890.0	420.0	90.0
7	780.0	0	260.0	560.0	9	9	0.066	0.055	50.0
6-17	00.0566	7650.00	0	000	4230.00	3410.00		• •	
-	0.000	0	340.0	0.090	0	0.0	520.0	0.060	50.0
7	620.0	0	870.0	540.0	0	0.0	620.0	110.0	90.06
٦-	780.0	0	710.0	140.0	0	0.0	730.0	170.0	30.0
-2	660.0	0.0	120.0	140.0	0.0	0.060	860.0	90.0	50.0
-2	130.0	0.0	410.0	300.	0.0	280.0	610.0	0.04	0.0
6-53	9630.00	1920.00	0	0.0	3600.00	0.0		2090.00	1730.00
7	460.0	0.0	540.0	.065	0.0	0.076	940.0	0.00	0.0
-2	0.077	0.0	190.0	0.000	0.0	870.0	010.0	90°0	20.0
-2	8860.0	7560.00	970.0	100.0	0	0.006	380.0	110.0	30.0
~	0.000	0	650.0	620.0	0.0	500.0	220.0	0.040	0.00
6-29	8860.00	6760.00	2760.00	5040,00		2500.00	2300.00		1750.00
-2	010.0	0	370.0	200.0	0.0	0.064	220.0	780.0	80.08
	800.0	0	260.0	320.0	0.0	470.0	0.096	570.0	30.Ŭ
MFAN	6630.00	6030.00	2460.00	4730.00	3940.00	3360.00	3130.00	2810.00	2460.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLUGICAL SURVEY - WATER RESOURCES DIVISION

810.00 770.00 720.00 679.00 348.00 471.00 567.00 370.00 246.00 234.00 DATE PROCESSED--07/25/75 AND 1974 532.00 418.00 418.00 394.00 348.00 326.00 286.00 250.00 250.00 250.00 250.00 300.00 285.00 259.00 PLOTTING POINTS FOR DURATION HYDRUGRAPH FOR 49-YEAR PERIOD BETWEEN WATER YEARS 1926 1280.00 1530.00 1340.00 1340.00 1380.00 1260.00 1190.00 1090.00 874.00 858.00 812.00 744.00 695.00 661.00 578.00 441.00 546.00 445.00 430.00 508.00 522.00 1100.00 010.00 952.00 88.00 564.00 558.00 1950.00 1920.00 1620.00 1520.00 1530.00 1480.00 1470.00 1040.00 974.00 958.00 1020.00 959.00 876.00 746.00 704.00 870.00 410.00 450.00 130.00 638.00 763.00 770.00 766.00 678.00 668.00 00.449 .80 CLARKS FORK YELLOWSTONE RIVER NEAR BELFRY, MI. 1620.00 1520.00 1300.00 1110.00 2340.00 2270.00 2470.00 2320.00 2300.00 2340.00 1990.00 1780.00 1730.00 1730.00 1010.00 922.00 850.00 850.00 850.00 810.00 700.00 2040.00 1780.00 806.00 746.00 080.00 3050.00 3090.00 3090.00 3070.00 2720.00 2680.00 2500.00 2510.00 2370.00 2570.00 2330.00 2010.00 1650.00 1370.00 1310.00 1230.00 1180.00 1160.00 1120.00 1010.00 2500.00 720.00 500.00 440.00 4000.00 4050.00 3950.00 3800.00 3510.00 3540.00 3230.00 3260.00 3170.00 3050.00 2770.00 2480.00 2410.00 2350.00 2170.00 1660.00 1620.00 1380.00 1220.00 1250.00 4050.00 3540.00 840.00 450.00 4660.00 5100.00 4710.00 4680.00 4380.00 4380.00 4200.00 3930.00 3930.00 3990.00 3410.00 3490.00 3280.00 3260.00 2900.00 2790.00 2820.00 2610.00 2340.00 2300.00 2130.00 1910.00 1650.00 710.00 5120.00 4810.00 5040.00 4790.00 00.0607 3070.00 2580.00 2170.00 2330.00 1940.00 3440.00 4790.00 6030.00 5410.00 4200.00 5900.00 4550.00 4380.00 3900.00 840.00 3440.00 2870.00 2520.00 2430.00 2220.00 3870.00 STATION 06207500 6850.00 6400.00 6250.00 6250.00 5800.00 4620.00 4570.00 4610.00 4500.00 4460.00 3530.00 3520.00 3410.00 3300.00 3300.00 3200.00 7800.00 7160.00 6100.00 9130.00 4870.00 4200.00 2990.00 2480.00 4950.00 2580.00 HIGH 7-21 7-22 7-23 7-24 7-25 -05 7-03 1000 7-12 7-14 7-18 7-19 7-20 7-20 7-27 7-20 7-29 7-30 7-04 7-06 7-16

00.695

871.00

1300.00

1580.00

2140.00

2540.00

3300.00

4740.00

MEAN

I

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

)

STATI	STATION 06207500	CLARKS	FORK	YELLOWSTONE RIV	RIVER NEAR BE	BELFRY. MT.	DATE	PROCESSE007/25/7	07/25/75
PLO	PLOTTING POINT	'S FOR DUR	ATION HYDRO	HYDRUGRAPH FOR	49-YEAR PE	PERIOD HETWEEN	WATER	YEARS 1926	AND 1974
DATE	н16н	.10	•20	• 30	.50	.70	.80	06*	101
0	450.0	720.0	550.0	250.0	2.0	5	0.06	86.0	25.0
0	610.0	620.0	410.0	160.0	0	8.0	78.0	48.0	19.0
0-	610.0	1610.00	38	80.	5.0	612.00	34	41.	٥.
0-	340.0	750.0	340.0	0.000	8.0	7.0	18.0	70.0	0.66
8-05	2860.00	610.0	0.0	0.0.0		576.00	0	335.00	193.00
0-	650.0	550.0	240.0	92.0	9.0	0.09	70.07	35.0	2.0
0	420.0	0.077	170.0	0.40	0.0	32.0	54.0	30.0	7.0
9	100.0	310.0	100.0	77.0	0	14.0	23.0	26.0	2.0
60-8	1820.00	1330.00	1100.00	861.00	0	482.00	413.00	326.00	130.00
7	610.0	330.0	050.0	52.0	80.0	78.0	16.0	35.0	•
7	550.0	30.0	20.0	82.0	0.69	54.0	0.56	35.0	18.0
7	10.0	0.00	77.0	46.0	0.07	46.0	0.66	35.0	18.
8-13	1760.00	1190.00	956.00	819.00	521.00	472.00	398.00		0
7	590.0	0.05	35.0	55.0	0.66	47.0	86.0	35.0	16.0
7	290.0	0.04	29.0	26.0	11.0	30.0	67.0	0.60	11.0
7	460.0	100.0	0.90	54.0	80.0	02.0	0.44	96.0	0.70
7	60.0	0.09	29.0	54.0	0.94	85.0	35.0	02.0	5.0
8-18	1260.00	993.00	758.00	630.00		8	0	285.00	107.00
7	560.0	0000	14.0	0.76	0.67	0.77	20.05	72.0	0.60
-2	370.0	0.070	70.0	0.00	80.0	35.0	0.90	56.0	0.7.0
-2	0.080	0.000	75.0	75.0	45.0	35.0	0.84	50.0	11.0
-2	550.0	0.0	20.02	57.0	35.0	26.0	75.0	40.0	16.0
8-23	2460.00	974.00	813.00	522.00	422.00	316.00	265.00	250.00	0
-2	0.070	9.0	55.0	96.0	90.0	02.0	63.0	34.0	20.
-2	580.0	2.0	75.0	88.0	62.0	88.0	51.0	10.0	48.0
-2	50.0	5.0	14.0	74.0	41.0	75.0	56.0	0.6	5.0
-2	0.00	6.6	81.0	85.0	35.0	76.0	33.0	0.6	0.0
-2	0.00	5.0	0.67	84.0	35.0	82.0	37.0	0.6	7.0
8-29	1120.00	870.00	637.00	483.00		250.00	225.00	181.00	130.00
	57.0	5.0	36.0	90.0	0.07	0.04	16.0	8.0	ж. С
	55.0	٠ 0	12.0	21.0	47.0	56.0	18.0	70.0	9°0
MEAN	1450.00	1140.00	1020.00	730.00	530.00	423.00	385.00	309.00	142.00
								•	1

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATION	ON 06207500	CLARKS	FORK YELLO	ELLOWSTONE RIVER	NEAR	BELFRY, MT.	- DATE	PROCESSE007/25/15	07/25/75
PLO	PLOTTING POINT	S FOR	DURATION HYDRO	HYDROGRAPH FOR	49-YEAR PE	RIOD HETWE	EEN WATER	YEARS 1926	AND 1974
DATE	H16H	.10	.20	*30	.50	.70	. 80	06.	F.O.
0	84.0	7.0	0.90	55.0	31.0	50.0	18.0	65.0	16.0
0	0.6	0.0	0.46	55.0	18.0	55.0	22.0	68.0	0.50
9-03	130	781.00	565.00	445.00	330.00	248.00	218.00	165.00	102.00
0	0.0	3.0	45.0	45.0	28.0	0.65	14.0	169.0	05.0
0	26.0	1.0	080	36.0	15.0	25.0	0 * * 0	82.0	03.0
0	73.0	12.0	95.0	16.0	26.0	7.0	96.0	89.0	0.5
0	90.0	46.0	72.0	98.0	0.50	9.0	3.0	79.0	7.0
0 -	20.05	93.0	59.0	0.90	03.0	0	86.0	69.0	5.0
60-6	1080.00	733.00	554.00	389.00	333,00	210.00	179.00	158.00	111.00
7	030.0	96.0	0.46	0.00	20.0	5.0	9.0	55.0	გ <b>.</b> ∪
-	140.0	35.0	55.0	76.0	21.0	34.0	0.0	51.0	0.6
7	10.0	36.0	69.0	16.0	16.0	35.0	0.6	48.0	0.9
9-13	00.876	618.00	455.00	395.00	314.00	225.00	177.00	154.00	00.96
7	82.0	58.0	16.0	95.0	0.00	19.0	79.0	45.0	3.0
7	27.0	0.40	61.0	71.0	0.90	35.0	9.0	38.0	0.0
-	22.0	2.0	72.0	84.0	96.0	43.0	9.0	45.0	9.0
7	88.0	0.0	28.0	68.0	81.0	32.0	79.0	41.0	8.0
9-19	176.00	618.00	435.00	357,00	285.00	225.00	179.00	136.00	86.00
-	60.0	0.0	17.0	84.0	88.0	24.0	78.0	34.0	0.0
-2	18.0	<b>ા</b> લ	0.70	68.0	80.0	18.0	1.0	o • ه	η·8
-2	37.0	0.40	29.0	86.0	75.0	19.0	0	5.0	0.0
-2	96.0	0.40	11.0	78.0	35.0	22.0	01.0	48.0	9.0
9-53	746.00	587.00	417.00	357.00	263.00	218.00	198.00	152.00	83.00
-2	12.0	54.0	39.0	36.0	62.0	07.0	0.	63.0	3.0
2	88.0	87.0	41.0	23.0	0.65	0.50	•	29.0	1.0
-2	0.40	59.0	29.0	18.0	69.0	0.90	ಾ	64.0	3.0
-2	0.090	26.0	30.0	28.0	66.0	0.40	0	62.0	7.0
9-59	1090.00	558.00		321.00	266.00	204.00	179.00	152,00	67.00
-2	0.070	0.65	50.0	48.0	58.0	02.0	)	0·5	5.0
<del>ر</del> .	030.0	46.0	55.0	66.0	29.0	0.00	·	59.0	3.0
MEAN	834.00	553.00	476.00	387.00	309.00	240.00	195.00	173,00	104.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATI	STATION 06207500	CLARKS	FORK YELLO	ELLOWSTONE RIVER	NEAR	RELFRY, MT.	DATE	PROCESSED07/25/75	07/25/75
PLO	PLOTTING POINTS	S FOK DURA	OK DURATION HYDRUGRAPH	FOR	49-YEAR F	PERIOD ¤ETWEEN	WATER	YEARS 1926	AND 1974
DATE	н16н	.10	.20	• 30	.50	٠٢٠	.80	06*	L0*
0-0	00.676	31.0	23.0	99.0	75.0	91.0	82.0	35.0	3.0
10-02	0.00	85.0	16.0	70.0	72.0	196.0	0.0	2.0	1.0
10-03	901.00	440.00	400.00	378.00	259.00	197.00	185.00	35	29.00
0-0	85.0	05.0	16.0	88.0	68.0	0.66	80.0	35.0	6.0
0-0	93.0	74.0	16.0	88.0	62.0	05.0	75.0	35.0	0.4
0-0	71.0	35.0	12.0	82.0	68.0	0.00	77.0	35.0	2.0
10-07	822.00	538.00	425.00	382.00	20B.00		179.00	132,00	52.00
0 - 0	750.0	32.0	0.50	71.0	67.0	89.0	72.0	32.0	2.0
0	20.05	22.0	0.00	54.0	71.0	04.0	0.0	26.0	0.1
0-1	200.0	19.0	0.00	55.0	0.69	10.0	1.0	23.0	S.U
-	260.0	10.0	о. В•	45.0	69.0	0.90	0.	17.0	0.5
7	60.0	0.65	0.0	53.0	63.0	04.0	2.0	3.0	2.0
0-0	260.0	85.0	1.0	61.0	68.0	0.40	υ• R	07.0	0.6
10-14	1260.00	840.00	00.007	344.00	265.00	209.00	175.00	104.00	72.00
0-1	0.062	42.0	0.0	0.44	6d.0	08.0	S• U	8.0	. c
0-1	66.0	9.60		74.0	77.0	0.80	C.	0	0,0
0-1	35.0	31.0	0.9	72.0	74.0	16.0	0.0	,	0 9
10-18	791.00	518.00	403.00	364.00	277.00			126.00	54.00
0-1	41.0	90.0	0.0	67.0	73.0	12.0	6.0	0.9	0.0
0-2	87.0	19.0	0.0	53.0	B3.0	0.80	3.0	2.0	2.0
₹	)	69.0	0.11	55.0	0.0	18.0	2	٠,	1
0-2	0	56.0	0.00	47.0	79.0	0.70	1 2		3
10-23	607.00	457.00	00.007	353.00	275.00		150.00	132,00	00.8S
0-2	0.	18.0	08.0	18.0	78.0	96.0	0.0	3.0	0.0
0-2	0	90.0	0.00	37.0	62.0	0.96	0.6	3.0	7.0
0-5	75.0	$\sim$	0.00	37.0	68.0	⇒.	0.5	7.0	0.4
0-2	0.56		0.00	24.0	0.04	90.0	5.0	0.0	0.0
0-5	58.0	$\circ$	95.0	26.0	65.0	0.00	5.0	2.0	9.0
10-29	558.00	465.00	386.00	326.00	259.00	204.00	175.00	136,00	24.00
0 = 0	22.0	$\overline{}$	75.0	43.0	21.0	0.96	5.0	5.0	0.4
0 - 3	96.0	$\sim$	64.0	23.0	55.0	93.0	0•6	2.0	ວ ສ
MEAN	725.00	510.00	00.004	327.00	275.00	217.00	176.00	122.00	62.10

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATIO	STATION 06207500	CLARKS	FORK YELLU	YELLOWSTONE RIVER	NEAR	BELFRY, MI.	DATE	PROCESSEU07/25/75	07/25/75
PLOT	PLOTITING POINT	S FOR DURATION	ITION HYBRU	НҮБRUGRAРН FOH	49-YEAR PE	PERIOD HEIWEEN	EN WATER	YEARS 1926	AND 1974
DATE	н9Ін	.10	• 20	.30	• 50	07.	.80	06•	LO.
0	0.94	5.0	0.49	0.44	63.0	0.40	0	5.0	9
11-02	•	476.00	$\sim$		3	•	168.00	45	50.00
0	05.0	3.0	57.0	30.0	53.0	0.40	9.0	50.0	0.0
0	0.46	5.0	58.0	25.0	56.0	18.0	2	58.0	3.0
0	0.00	5 • 0	71.0	50.0	0.69	13.0	7.0	52.0	3.0
0	30.0	41.0	0.0	0.84	85.0	10.0	87.0	5.0	)
0	30.08	47.0	0	50.0	0 2 0	0.60	9.698	2.0	2.0
0-	75.0	46.0	0	50.0	78.0	14.0	95.0	9	α.
0-1	30.0	-	7.0	200	0.69	8	0.25		54.0
11-10	870.00	30.0	385.00	9	279.00	230.00	200-00	2.0	150.40
- 1	2 • 0	24.0	83.0	41.0	86.0	0.25	0.00	2.0	28.0
7	5.0	25.0	91.0	41.0	84.0	48.0	9H.0	9.0	8.0
-	5.0	28.0	00.0	50.0	0.00	55.0	14.0	0.0	0.10
11-14	822.00	433.00	384.00	350.00	20	59	- 2	189.00	134.00
7	5.0	28.0	91.0	50.0	7.0	255.00	10.0	3.0	45.0
-	0.0	2.0	78.0	50.0	6.0	0.49	30.0	0.00	0.0
7	5.0	0.0	74.0	50.0	3.0	56.0	30.0	01.0	8.0
11-18	680.00	412.00			292.00	260.00	215.00	197.00	114.00
7	5.0	0•4	94.0	50.0	2.0	47.0	72.0	01.0	0.0
-2	5.0	5.0	0.40	61.0	5.0	0.09	16.0	96.0	38.0
-2	5.0	17.0	78.0	36.0	0.90	72.0	63.0	0.00	141.00
-2	0.0	95.0	75.0	50.0	95.0	65.0	43.0	28.0	0
11-23	518.00		380.00	357.00	299.00	264.00	244.00	207.00	150.00
2-	0.0	24.0	78.0	58.0	20.0	72.0	51.0	20.05	0.0
-2	0·5	37.0	95.0	78.0	23.0	72.0	20.0	20.0	0.0
-2	00.0	5.0	78.0	64.0	17.0	75.0	52.0	2.0	0.0
-2	42.0	2.0	88.0	0.04	42.0	56.0	40.0	0.8	0.0
11-28	600.00	395.00	379.00	343.00	292.00	265.00	230.00	214.00	150.00
-2	0.00	5.0	72.0	52.0	0.00	60.0	0.07	8.0	0.0
٠,	0.00	٥٠٥	68.0	59.0	11.0	62.0	15.0	0.0	0.0
ME AN	648-00	413.00	340.00	349-00	285.00	248.00	725.00	200.00	150.00
,	)	•	•	•	•		)	•	•

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATION	STATION 06207500	CLARKS	FORK YELLO	YELLOWSTONE RIV	VER NEAR BE	BELFRY, MI.	DATE	PROCESSEU07/25/75	07/25/75
PLOTI	PLOTTING POINTS	FOR	DURATION HYDROGRAPH	FOR	49-YEAR PE	ERIOD BETWEEN	WATER	YEARS 1926	AND 1974
DATE	нІ6н	.10	.20	• 30	• 50	.70	.80	06*	LO*
2-0	80.0	98.0	68.0	0.0	0.00	65.0	24.0	0.00	70.0
12-02	450.00	380.00	357.00	340.00	300.00		243.00	200.00	170.00
2-0	30.0	66.0	46.0	2.0	0.00	53.0	30.0	0.00	70.0
2-0	0.77	71.0	38.0	3.0	0.66	50.0	19.0	0.06	70.0
2-0	443.0	0.79	38.0	9.0	89.0	52.0	25.0	0.00	37.0
2-06	385.0	59.0	30.0	0.00	90.0	0.74	32.0	92.0	0.04
0-	15.0	61.0	25.0	02.0	34.0	50.0	40.0	0.0	0.04
2-0	80.0	47.0	23.0	10.0	71.0	40.0	0.70	80.0	40.0
12-03	420.00	342.00	316.00	300.00	259.00	230.00	200.00	184.00	140.00
2-1	45.0	46.0	20.0	0.00	55.0	22.0	0.00	97.0	0.04
2-1	54.0	ာ	35.0	01.0	0.09	30.0	0.5.0	82.0	10.0
2-1	37.0	0	31.0	03.0	0.09	20.0	0.00	75.0	0.0
12-13	410.00	344.00	310.00	299.00	259.00		194.00	150.00	95.00
2-1	81.0	0	0.00	0.06	67.0	20.05	0.00	70.0	0.9
2-1	87.0	?	0.90	98.0	0.09	10.0	0.00	75.0	0.6
2-1	10.0	41.0	16.0	0.00	51.0	14.0	0.06	71.0	28.0
2-1	88.0	54.0	25.0	0.00	0.65	18.0	0.06	63.0	30.0
12-18	377.00	345.00	306.00	292.00	259.00	215.00	199.00	175.00	100.00
2-1	74.0	52.0	0.20	84.0	60.0	40.0	0.00	72.0	0.00
2-2	20.0	46.0	10.0	92.0	57.0	0.04	0.00	70.0	25.0
2-2	60.0	50.0	10.0	92.0	55.0	30.0	0.00	80.0	33.0
2-5	0.40	50.0	18.0	92.0	53.0	37.0	0.00	76.0	0.44
12-23	631.00	360.00	300.00	285.00	240.00	217.00	200.00	173.00	150.00
2-2	0 · 26	45.0	11.0	95.0	42.0	10.0	0.00	70.0	50.0
2-5	72.0	0.04	11.0	0.06	0.04	0.00	97.0	70.0	20.0
2-2	38.0	1.0	000	90.0	45.0	0.00	95.0	68.0	20.02
2-5	55.0	0.4	0.78	70.0	30.0	0.00	7.0	5.0	0.70
12-20	477.00	325.00	300.00	280.00	235.00	195.00	175.00	150.00	00
2-5	50.0	0.0	0.00	88.0	36.0	88.0	0.1	0.0	0.00
2-3	40.0	0.0	05.0	90.0	25.0	93.0	7.0	57.0	0.00
2-3	22.0	0.0	0.00	82.0	0.44	02.0	<b>6.</b> 0	51.0	20.0
MEAN	379.00	323.00	310.00	295.00	261.00	238.00	229.00	180.00	149.00

(

07/25/75 AND 1969	٠ 🔻	00.96	208.00	215.00	•	177.00	0.16	91.6	08.	2.0	0.0	22.0	215.00	,	0.08	an 1		180.00		<b>&gt;</b> <	70°07	150.00	$\tilde{}$	(	052	230	228.00	20	17	218.00			
SED	06.	00.00	00.00	52.00	20.00	00.092	9 9	, ,		(	0.00	0.00	250.00	50.	0		0	231.00	•	0.0	30.0	250.00		•	0.0	0 9	20.02	0.00	30				
ATE TER	08	2 00	00.	00	00.	0.00	00.5	00.00	- C		0	0 9	300.00	0		0,0		270.00	09	9		. •	90.06	90•(	00.000	300.00	300.00	300.00	300.00		315.00		
0 -			350.00				00°	00.00	00.	00.04	7.0	. 0		0 0	2	0.0	0.00		000		300.00	302.00	300-00	310.00		<b>)</b>	$\sim$	_	310.00	-	333.00		
DEPARTMENT OF INTERIOR  WATER RESOURCES DIVISI  VER AT EDGAR* MT*		5.0	2.00	30.00	80.00	00.06	00.	00.	400.00	000	•	0.0	376.00	30.0	75•(	0		350.00	000	) ) )	0.0	340.00	0.09	08	-00	0.0	0.0	9	360.00	0	00 7/6	•	
21 \	ž S	•30	86 00.04		430.00			000	00	21.00	20.05	0.0	420.00	0 0	02		٠	00.004		٠	:	375.00			۷ • (	_ <	, 0	$\circ$	390.00			392.00	
UNITED STATE GEOLOGICAL SURVE FORK YELLOWSTONE	HYDROGRAF	•20	00.0	00.00	9.00	00.00		00.00	00.054	00.00	20.00	9	430.00	0.0.	30.00	30.	0	_	0.0			9	0 (	410.00	420.00		٠.	•	410.00	•	•	419.00	
GEOL CLARKS FORK	OR DURATION HYDROGRAPH P	01	3	40.00	90.08	, 00.00	•	00		0 0	00		00.087			50.	(	00.097	0.06	90.0	80•(	a	)	60.0	3	· •	0.0	0.0			ທ ທ	u u	) n
, , , 008806	R.		нісн	0.00	00.08	00.048	20.00	6	00.055	00.02	30.00	23.00	6.0	6.0	0.0	00.08	,	0	• •		50.00		0.0		00.064	80.	0	2004	0.000	530.0	0.00.00.00.00.00.00.00.00.00.00.00.00.0	)	471.00
2	-	) 	DATE	.01	-0.2	1-03	501		-06	~	101	-10	-		~	1-14	ī		1-17	7	1	ĭ		2	1-23	1	J	2,		ייי	1-30	1	MEAN

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATIC	STATION 06208500	CLARKS	FORK YELLOW	YELLOWSTONE RIVER	ER AT EDGAR.	R. MT.	DATE	PROCESSED07/25/7	07/25/75
PLOI	PLOTITING POINTS	FOR DURATION		HYDROGRAPH FOR	39-YEAR PER	PERIOD BETWEEN	EN WATER	YEARS 1931 AND	
DATE	нІбн	•10	• 20	• 30	• 50	.70	.80	06*	101
0	50.0	00.044	0.0	3.0	0.09	20.0	0.06	35.0	0.00
2-05	570.00	460.00	414.00	397.00	•	•	•		230.00
9	0.00	460.00	0.0	9.0	60.0	0.04	0.06	50.0	30.0
0	0.00	480.00	2.0	7.0	70.0	30.0	0.06	0.09	30.0
0	0.00	510.00	۰ <del>۱</del>	7.0	0.09	30.0	10.0	70.0	30.0
0-	0.00	0.0	0.0	0	54.0	40.0	98.0	50.0	30.0
9	50.0	0.0	0.0	0	60.0	25.0	10.0	35.0	1.0
0-	0.00	0.0	0.0	0	60.0	25.0	0.00	35.0	80.0
2-07	640.00	450.00	390.00	380.00	351.00	320.00	293.00	235.00	160.00
7	0.00	0.0	0.0	0	50.0	20.0	80.0	30.0	90.0
7	20.0	79.0	0.00	_	53.0	20.0	75.0	38.0	20.0
7	0.06	0.06	0.00	$\sim$	60.0	16.0	0.06	40.0	29.0
2-13	800.00	550.00	420.00	00.004		310.00	$\epsilon$	250.00	229.00
7	0.00	30.0	25.0	$\overline{}$	0.04	0.00	0.06	50.0	35.0
7	60.0	30.0	25.0	$\sim$	0.04	0.00	80.0	50.0	28.0
7	0.00	20.0	40.0	0	0.9	10.0	0.0	60.0	0.04
7	60.0	0.00	30.0	0	0.4	20.0	6.0	52.0	0.0+
2-18	520.00	00.097	430.00	397.00	370.00		300.00	252.00	240.00
7	0.00	79.0	0.04	0	0.0	14.0	0.0	77.0	0.04
-2	0.00	70.0	30.0	0	0.0	22.0	3.0	50.0	0.04
-2	11.0	5.0	0.04	$\sim$	60.0	25.0	0.0	0.00	30.0
-2	80.0	0.0	32.0	$\sim$	54.0	25.0	3.0	90.0	30.0
-2	10.0	0.0	20.0	$\sim$	54.0	25.0	0.0	77.0	0.00
5-54	600.00	480.00	410.00	390.00	•	320.00	280.00	250.00	179.00
2-	0.00	•	20.0	$\sim$	0.09	11.0	2.0	0.04	0.80
2	50.0	0.00	0.0	0	60.0	10.0	0	50.0	98.0
1	820.00	240.00	00.077	410.00	360.00	320.00	300.00	240.00	200.00
-2	0.00	0.00	0.0	٥,	0.49	20.0	9	62.0	25•0
MEAN	584.00	483.00	411.00	00.007	362.00	327.00	303.00	287.00	250.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATI	STATION 06208500	0 CLARKS	FORK YELLO	YELLOWSTONE RIVER	FR AT EDGAR	R. MI.	. DATE	PROCESSED07/25/7	07/25/75
PLO	PLOTIING POINT	IS FOR	OURATION HYDRO	НУОКОСВАРН ГОВ	39-YEAR PE	PERIOD BETWEEN	EN WATER	YEARS 1931	
DATE	н16н	.10	.20	• 30	• 50	.70	.80	06.	104
0	60.0	0	70.0	40.0	0 · 8 ·	18.0	90.06	80.0	50.0
0	40.0	0	0.05	24.0	50.0	10.0	0.00	70.0	0.06
3-03	00.079	460.00	420.00	387,00	00	310	300.00	250.00	230.00
0	40.0	0	20.0	95.0	00.04	14.0	0.00	50.0	10.0
0	0.04	0	10.0	85.0	36.0	16.0	0.00	0.09	10.0
0	0.0	0.09	20.0	0.00	0.07	0.00	75.0	62.0	20.0
0	4.0	50.0	10.0	96.0	35.0	10.0	0.00	62.0	20.0
3-00	795.00	450.00	430.00	400.00	350.00	30.	300.00	262.00	20
0	0.4	71.0	40.0	0.00	70.0	30.0	0.06	60.0	0.0+
7	0.4	72.0	32.0	0.00	72.0	7.0	0.00	62.0	0.0
-	95.0	0.00	45.0	]].	70.07	30.0	0.80	62.0	96.0
3-12	602.00	500.00	448.00	401.00		330.00	300.00	260.00	240.00
7	80.0	75.0	0.04	10.	0.79	30.0	03.0	60.0	25.0
7	40.0	80.0	21.0	00	0.09	24.0	0.00	60.0	97.0
7	0.09	0.00	40.0	02.	60.0	24.0	050	0.09	0.04
7	0.060	20.0	60.0	0.90	68.0	30.0	2.0	0.09	20.0
7	70.0	20.0	0.09	0.96	69.0	30.0	0	64.0	22.0
3-18	1000.00	500.00	00.077	408.00	366.00	330.00	316.00	269.00	182.00
7	0.00	0000	50.0	95.0	47.0	28.0	9.0	88.0	0.09
-2	42.0	20.0	15.0	88.0	38.0	18.0	0.0	75.0	80.0
-2	16.0	50.0	0.40	76.0	32.0	12.0	96.0	79.0	90.0
-2	0.00	40.0	84.0	81.0	54.0	08.0	90.0	75.0	0.00
3-23		595.00	434.00	396.00	351.00	9	290.00	261.00	180.00
-2	0.00	25.0	95.0	07.0	42.0	15.0	19.0	66.0	50.0
- 2	170.0	58.0	46.0	84.0	56.0	05.0	88.0	55.0	0.04
~	10.0	89.0	0.50	78.0	47.0	30.0	97.0	76.0	0.04
-2	55.0	30.0	05.0	70.0	51.0	20.02	0.00	70.0	0.04
3-28	940	516.00	448.00	370.00	354.00	316.00	284.00	262.00	150.00
2	0.09	0.46	0.04	87.0	7 B • 0	16.0	0.96	76.0	70.07
	160.0	75.0	19.0	0.00	24.0	20.02	96.0	75.0	31.0
س	0.50	0.68	58.0	23.0	55.0	34.0	15.0	76.0	22.0
MEAN	554.00	00.867	425.00	404.00	367.00	331.00	319.00	00.865	259.00
	1	•	,	•	•	•	2 - 1	•	•

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATIC	STATION 06208500	CLARKS	FORK YELLO	YELLOWSTONE RIVER	ER AT EDGAR.	R. HT.	DATE	PROCESSEU07/25/7	07/25/75
PLOT	PLOTTING POINTS	FOR DURA	ATION HYDROGRAPH	GRAPH FOR	39-YEAR PE	RIOD BETWE	EEN WATER	YEARS 1931	AND 1969
DATE	н16н	•10	• 20	• 30	• 50	.70	98.	06.	LOW
70-5	92.0	9.0	48.0	5.0	2.0	39.0	8.0	9.0	0.00
4-02	51.0	0.	45.0	2.0	0.4	38.0	0.0	6.0	0.00
4-03	765.00	48	459.00	411.00		9	$\sim$	266.00	200.00
70-7	70.0	•	45.0	8.0	3.0	24.0	8.0	6.0	0.00
0	75.0	30.0	0.94	5.0	7 • 0	32.0	9 · U	5.0	0.00
0-	0.50	10.0	72.0	35.0	8.0	33.0	0.80	75.0	51.0
0	75.0	60.0	65.0	20.05	0.0	29.0	03.0	88.0	98.0
0-	50.0	25.0	53.0	23.0	0.4	40.0	18.0	88.0	70.0
60-5	1030.00	615.00	476.00	430.00	376.00	354.00	335.00	276.00	150.00
7	70.0	65.0	98.0	40.0	5.0	0.84	36.0	96.0	45.0
~	10.0	55.0	12.0	40.0	68.0	39.0	30.0	16.0	0.4
4-15	0.070	90.0	07.0	28.0	74.0	47.0	28.0	0.80	7.0
4-13	1120.00	700.00	502.00		371.00	348.00	321.00	308.00	70.00
4-14	260.0	0.96	26.0	05.0	97.0	0.05	16.0	03.0	9.0
7	260.0	72.0	20.0	20.0	21.0	59.0	0.04	0.70	6.0
ĩ	680.0	14.0	31.0	70.0	48.0	~	0.0	20.0	0.4
7	800.0	0.77	30.0	66.0	72.0	84.0	0.4	30.0	6.0
4-18	1800.00	_	680.00	600.00	495.00	391.00	359.00	315,00	45.00
7	900.00 P		10.0	19.0	26.0	64.0	5.0	14.0	0.0
-2	170.00	190.0	66.0	31.0	75.0	84.0	B•0	0.00	0.0
-2	170.00	140.0	12.0	8.0	65.0	95.0	0 • 0	0.00	0.0
-2	170.00	240.0	0.06	5.0	0.00	98.0	6.0	10.0	8.0
4-23	1920.00	1540.00	873.00	759.00	590.00	403.00	370.00	300.00	45.00
١	840.00	450.0	20.0	3.0	27.0	24.0	2.0	0.00	3.0
2	00.000	720.0	20.0	4.0	30.0	32.0	2.0	0.00	8.0
-2	10.00	70.0	210.0	61.0	88.0	0.70	48.0	96.0	٠,
7	380.00	800.0	0.090	59.0	30.0	0.60	48.0	79.0	0.6
4-2B	380,00	570	1140.00	755.00	615.00	420.00	388.00	270.00	101.00
7.	00.077	10.0	280.0	79.0	05.0	70.07	81.0	0.00	2.0
<u>-</u>	380.0	000	0.040	00.0	0.79	0.55	0.00	0.00	2.0
MEAN	1400.00	874.00	681.00	595.00	471.00	420.00	371.00	353.00	123.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATION	ON 06208500	CLARKS	FORK	YELLOWSTONE RIVER	ER AT EDGAR.	R. MT.	DATE	PROCESSEU07/25/75	-07/25/75
PLO	PLOTTING POINT	S FOR	DURATION HYDRO	HYDROGRAPH FOR	39-YEAR PE	RIOO BETWE	EN WATER	YEARS 1931	AND 1969
7 4 6	1	~	C	9	ď	7.0	Oa	o	3
	)			•					
	430.0	830.0	0.080	68.0	64.0	85.0	3.0	2	63.00
9	570.0	680.0	0.000	•	40.0	15.0	5.0	91.0	5.0
9	2730.00	0	1090.00	00.776	680.00	244.00	474.00	0.40	?
0	590.0	170.0	150.0	0.000	92.0	0.44	2.0	24.0	3.6
0-	0.084	300.0	390.0	0	38.0	10.0	2.0	70.0	0.0
0	130.0	720.0	690.0	20.0	0.66	10.0	10.0	76.0	5.0
0	130.0	290.0	800.3	30.0	0.50	10.0	88.0	80.0	4.0
5-04	4130.00	2240.00	1680.00	1380.00	912.00	584.00	530.00	412,00	49.00
0	430.0	360.0	770.0	0.06	10.0	42.0	30.0	18.0	0.4
7	930.0	650.0	780.0	70.0	160.0	63.0	0.00	64.0	3.0
~	800.0	580.0	030.0	770.0	380.0	0.40	31.0	62.0	7.0
7	800.0	720.0	480.0	990.0	460.0	28.0	80.0	68.0	8.0
5-13	3700.00	3130.00	2590.00	2040.00	1360.00	747.00	631.00	394.00	170.00
7	140.0	180.0	720.0	100.0	390.0	50.0	42.0	14.0	4.0
7	120.0	320.0	470.0	250.0	440.0	0.0	0.09	30.0	42.0
7	0 0 5 7	0.00	0 0 1 2	0 %		000	ac	00	0
7 7							0 1	7.0	) o
a ( )	00.007.7	34 90 00	00.0012	20000000		00.0211	00.00	00.000	00.00
1	0 0 0 0	70.0		0000			000	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	• • • • • • • • • • • • • • • • • • •
ן ר ו					0.000	2001	•		• • •
7	0.001	0.040	700.0	0.0<0	0.000	0.0/1	0.00	58. C	36.0
-2	0.090	300.0	490.0	010.0	160.0	0.060	0.00	45.0	74.0
-2	530.0	240.0	500.0	720.0	160.0	360.0	0.020	70.0	10.0
5-23	2980.00	5160.00	3280.00	2710.00	2370.00	1910.00	1430.00	858.00	256.00
-5	0.000	0.059	0.084	130.0	470.0	950.0	0.079	0.00	78.0
- 2	0.00%	120.0	710.0	210.0	640.0	980.0	460.0	0.000	0.09
7	510.0	240.0	70.0	0.02	690.0	0.059	0.05	71.0	12.0
-2	700.0	0.000	50.0	0.060	8 70.0	0.066	570.0	0000	0.70
2-	860.0	420.0	50.0	0.060	960.0	400.0	30.0	0.000	19.0
-2	910.0	750.0	0.00	680.0	130.0	310.0	750.0	260.0	0.49
5-30	7560.00	5470.00	5300.00	2000.00	3580.00	2110.00	1970.00	1500.00	780.00
۳.	360.0	0.090	0.06	960.0	130.0	190.0	ი•060	760.0	ა ა
MEAN	3210.00	2980.00	2660.00	2450.00	1930.00	1540.00	1180.00	1000.00	757.00
						•			

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATI	STATION 06208500	CLARKS FORK		YELLUWSTONE RIVER	VER AT EDGAR.	AR. MI.	DATE	PROCESSE007/25/7	.07/25/75
PLO	PLOTTING POINT	S	FOR DURATION HYDROGRAPH FOR	ЗСВАРН ГОК	39-YEAR PE	PERIOD HET₩E	EEN WATER	YEARS 1931	AND 1969
DATE	нІвн	•10	• 20	.30	• 50	.70	98.	06•	LO#
6-01	0	0	460.0	710.0	0	570.0	30.0	0	2.0
6-02	600.0	0	050.0	270.0	0	500.0	50.0	0	756.00
6-03	873	7040.00	4830.00	4270.00	3260.00	2430.00	•	1750.00	28
6-04	910.0	0	380.0	980.0	0	710.0	50.0	0	0.04
9-05	300.0	0	510.0	350.0	0	850.0	0.05	0	510.0
0	030.0	0.096	50	860.	0 • 0 •	0.050	500.0	340.0	620.0
9	700.0	350.0	500.0	100.0	50.0	880.0	430.0	240.0	590.0
6-08	0 4 0 2 0	280.0	700.0	330.0	30.0	340.0	370.0	170.0	770.0
50-9	7800.00	6920.00	0	5500.00	0	•	2300.00	2160.00	1540.00
6-10	0.000	810.0	960.0	190.0	0.00	0.046	700.0	0.050	450.0
4-11	0 0 1 7	0.054	740.0	920.0	0	0.09	5 H O • 0	0.045	550.0
, -		000		9 6		2 0	700.0	250.0	0.067
7	100.00	0.070				9 6	0.00	370.	2
7			0.00	0.014		2 - 0	0.086	500.0	680.0
6-15	8770.00	7700.00	5500.00	4720.00	4270.00	3580.00	0	2710.00	520.0
•	•		· ·						
7	230.0	600.0	50.0	100.0	30.0	570.0	300.0	380.0	670.0
	0	•	ċ	5500.00		3800.00	0	5640.00	70.
7	680.0	190.0	20.0	800.0	70.0	0.059	920.0	300.0	0.050
-	620.0	340.0	0.06	300.0	50.0	410.0	700.0	300.0	850.0
-2	770.0	170.0	50.0	100.0	80.0	380.0	110.0	520.0	990.0
^	770.0	200.0	AHO.0	0.061	890.0	410.0	0.0	540.0	700.0
J A	770.0	0.000	0.000	220.0	100.0	230.0	0	0.014	700.0
10	7.00.0	0.054	570.0	720.0	A50.0	230.0	0	160.0	580.0
6-24	0.00	9	4004	910	3650.00	2990.00	0		1580.00
6-2>	7830.00	320.0	20.0	0.09	0.060	0.096	0	150.0	470.0
~	0.079	20.0	950.0	460.0	3000	9	560.0	160.0	360.0
6-21	370.0	0.06	350.	500.0	560.0	9	300.0	0	300.0
1 N	380.0	30.0	960.0	190.0	370.0	0.0	280.U	880.0	470.0
62-9	0	0 7	386.	0		•	0	1680.00	1360.00
3	800.0	0.0	0.00	0.080	710.0	$\supset$	140.0	480.0	150.0
MEAN	6380.00	5860.00	2040,00	4770.00	4080.00	3420.00	3280.00	2870.00	2620.00
i J	•	•		•				•	

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

)

STATION	ON 06208500	CLARKS FORK		YELLOWSTONE RIV	RIVER AT EDGA	EDGAR. MT.	· DATE	PROCESSEU07/25/75	-07/25/75
PLO	PLOTTING POINTS	IS FOR DURATION		HYDROGRAPH FOR	39-YEAR PE	PERIOD BŁI∦E	EEN WATER	YEARS 1931	AND 1969
DATE	нІвн	.10	• 20	• 30	• 50	07.	. 80	06.	L0*
	970.0	350.0	330.0	3810.00	50.0	240.0	660.0	1220.00	0.00
0	170.0	220.0	250.0	850.0	800.0	0.050	340.0	1060.00	85.0
0	7170.00	5880.00	4230.00	3730.00	850.	2150.00	1370.00	1000.00	706.00
0	170.0	360.0	150.0	0.056	0.069	030.0	320.0	1130.00	85.0
0	790.0	990.0	460.0	850.0	750.0	120.0	0.009	1190.00	0.90
0	600.0	0	330.0	0.069	570.0	0.066	0.0	50.0	31.0
0-	600.0	0	150.0	530.0	520.0	120.0	0.0	62.0	59.0
0-	220.0	0	930.0	590.0	510.0	910.0	0.0	0.00	14.0
4-09	6220.00	4920.00	3690.00	3230.00	2380.00	1570.00	1140.00	00.006	314.00
ī	410.0	0	650.0	180.0	380.0	390.0	0.0	0.00	51.0
-	220.0	4750.00	570.0	0.066	260.0	350.0	4.0	0	3•0
7	650.0	0	0.065	820.0	380.0	410.0	0.0	0	0.0
7-13	2090.00	3970.00	3320.00	2920.00	0	1490.00	20	744.00	195.00
7	570.0	•	0.076	780.0	220.0	460.0	0.0	0	3.0
ī	570.0	0.	140.0	650.0	0.070	420.0	7.0	0	2.0
7	100.0	10.0	0.066	500.0	120.0	4000	900.00	0.09	0.8
7	380.0	80.0	960.0	510.0	860.0	320.0	892.00	30.0	5.0
7-18	4300.00	3180.00	2640.00	2400.00	1710.00	1200.00	813.00	00.077	74.00
7	300.0	20.0	260.0	170.0	550.0	020.0	774.00	34.0	0.7
7 -	230.0	30.0	0.005	260.0	570.0	0.00	700.00	56.0	7.0
-2	810.0	870.0	250.0	0.0	380.0	9.0	5.0	46.0	2.0
7	330.0	720.0	250.0	0.0	170.0	00.0	0.4	40.0	5.0
7-23	3510.00	2570.00	2110.00	1570.00	0	808.00	620.00	328.00	77.00
2,	510.0	350.0	0.000	0.0	0.080	74.0	8.0	48.0	3.0
7	510.0	180.0	860.0	0.0	0.0+0	78.0	5.0	91.0	3.0
-2	0.0+	080.0	650.0	0	0.090	٥,	9.06	360.00	J.
-2	180.0	960.0	620.0	0	0.0	0	02.0	396.00	0.8
7-28	3340.00	18~0.00	1500.00	1280.00	980	812.00	548.00	290.00	180.00
2	020.0	80.0	520.0	0	0.0	0	36.0	277.00	0.8
۳.	870.0	750.0	410.0	0	0.0	0	28.0	305.00	6.0
. 3	580.0	40.0	410.0	0	1.0	0	96.0	707.00	0 • •
MEAN	4770.00	3690.00	2930.00	2460.00	2000.00	1430.00	919.00	736.00	323.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATIC	STATION 06208500	CLARKS FORK		YELLOWSTONE RIVER	ER AT EDGAR.	R. MT.	DATE	PROCESSED07/25/7	07/25/75
PLOI	PLOTTING POINT	S	FOR DURATION HYDROGRAPH FOR		39-YEAR PEI	PERIOD ⊎ETWEEN	WATER	YEARS 1931	AND 1969
DATE	H16H	.10	•20	• 30	• 50	.70	.80	06•	LO¥
0	440.0	930.0	410.0	_	35.0	20.0	0.0	50.0	0
0	580.0	610.0	290.0	$\overline{}$	92.0	36.0	0.0	50.0	37.0
8-03	3020.00	1530.00	1370.00	1140.00	813.00	535.00	512.00	350.00	128.00
0	580.0	750.0	300.0	$\sim$	74.0	0.66	5.0	340.0	11.0
0	60.0	390.0	240.0	$\sim$	87.0	48.0	6.0	14.0	12.0
0	850.0	0.0	240.0	61.0	27.0	05.0	68.0	28.0	2.0
9	510.0	0.0	190.0	19.0	60.09	0.50	50.0	05.0	0.1
8-08	370.	•	1040.00	807.00	500.00	430.00	350.00	203.00	87.00
0	010.0	0.0	0.000	98.0	32.0	92.0	38.0	57.0	0.4
_	0.0	0	050.0	40.0	88.0	84.0	47.0	0.69	ر. <del>۱</del>
7	690.0	220.0	99.0	96.0	90.0	99.0	39.0	54.0	6.0
7	620.0	260.0	0.040	86.0	0.66	0.69	42.0	28.0	4.0
8-13	1610.00	1190.00	1100.00	880.00	480.00	347.00	338.00	201.00	63.00
7	620.0	0.090	59.0	52.0	45.0	56.0	38.0	91.0	8.0
7	200.0	140.0	90°0	52.0	25.0	46.0	18.0	6B.0	7 • 0
7	410.0	0.050	0.65	75.0	53.0	32.0	03.0	20.0	0.0
7	280.0	0.0	20.0	85.0	25.0	47.0	16.0	30.0	8.0
8-19	1290.00	910.	810.00	560.00	387.00	347.00	261.00	195.00	89.00
7	420.0	5.0	26.0	30.0	84.0	16.0	0.79	10.0	1:0
-2	330.0	0.0	74.0	47.0	68.0	0.66	65.0	08.0	4•0
- 2	310.0	0.00	74.0	25.0	8.0	0.00	66. ე	96.0	2.0
-2	730.0	0.00	0.00	05.0	1.0	05.0	55.0	86.0	1.0
8-23	3620.00		692.00	570.00	419.00	279.00	251.00		64.00
-2	750.0	69.0	42.0	75.0	5.0	75.0	51.0	66.0	4.0
-2	230.0	50.0	15.0	16.0	1.0	19.0	35.0	70.0	1 • 0
-2	870.0	50.0	5.0	48.0	85.0	87.0	12.0	68.0	11.0
-2	670.0	95.0	9.0	31.0	55.0	19.0	22.0	68.0	37.0
8-2H	1510.00	881.00	710.00	744.00	368.00	277.00	230.00	168.00	137.00
-2	410.0	31.0	0.5	0.09	56.0	85.0	20.0	0.09	28.0
7	380.0	19.0	1.0	20.0	50.0	88.0	18.0	0.09	20.0
. J	380.0	61.0	9.0	43.0	50.0	55.0	03.0	60.0	20.0
MEAN	1540.00	1240.00	834.00	739.00	482.00	381.00	350.00	283,00	102.00

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATION	N 06208500	CLARKS F	FORK YELLOW	YELLOWSTONE RIVER	ΑŢ	EDGAR. MT.	DATE	PROCESSE007/25/75	07/25/75
PL01	PLOTTING POINTS	FOR DURATION	ION HYDROGRAPH	FOR	39-YEAR PE	PERIOD BETWEEN	WATER	YEARS 1931	AND 1969
DATE	нісн	.10	•20	. 30	•50	.70	08.	06•	LO*
0 -	80.0	30.0	29.0	50.0	68.0	45.0	98.0	0	•
9-05	1830.00	1050.00	693.00	555.00	371.00	277.00	232.00	182.00	146.00
0-	0.09	19.0	0.75	48.0	25.0	02.0	68.0	0	0
0 -	0.09	θ3.0	52.0	50.0	15.0	0.96	75.0	0	7.0
0	10.0	52.0	69.0	50.0	22.0	14.0	0.09	0	n.e
0	120.0	0.00	10.0	32.0	9	0.0	68.0	77.0	7.0
0-	0.020	87.0	0.76	48.0	0	0.9	56.0	3.0	46.0
0 -	460.0	98.0	60.0	22.0	1.0	2.0	0.77	68.0	9.0
6-04	1540.00	725.00	610.00	518.00	415.00	305.00	232.00	190.00	23
7	170.0	54.0	0.50	50.0	9.0	0.0	55.0	95.0	0.6
7	430.0	0.50	0.50	50.0	31.0	0.80	0.77	14.0	29.0
7	380.0	59.0	80.0	50.0	26.0	18.0	45.0	28.0	55.0
9-13	1380.00	807.00	578.00	240.00	S	319.00	249.00	202.00	152.00
7	320.0	83.0	20.0	50.0	19.0	14.0	58.0	98.0	61.0
-	220.0	47.0	96.0	35.0	31.0	05.0	55.0	01.0	59.0
7	220.0	83.0	30.0	50.0	3.0	88.0	62.0	0	0.6
7	260.0	45.0	21.0	50.0	ο. Β	87.0	59.0	0	0.0
9-1 <i>-</i> 6	1120.00	934.00	605.00	550.00	470.00	305.00	267.00	201.00	168.00
7	300.0	98.0	30.0	66.0	0.4	18.0	52.0	0	3.0
-2	910.0	92.0	45.0	95.0	2.0	0.04	75.0	0	83.0
-2	30.0	87.0	0.90	0.0	5.0	0.04	77.0	0.0	0.66
-2	0.09	50.0	17.0	6.0	0.0	57.0	0.56	59.0	01.0
9-23	1160.00	1060.00	753.00	250.00		351.00	291.00	262,00	233.00
-:2	70.0	78.0	0.0+	5.0	1.0	51.0	18.0	77.0	43.0
-2	70.0	22.0	2 A • 0	0.0	9.0	74.0	30.0	76.0	57.0
2	170.0	50.0	11.0	60.0	0.8 <sub>7</sub>	91.0	36.0	88.0	54.0
-2	650.0	80.0	95.0	41.0	48.0	64.0	32.0	88.0	43.0
1	1650.00	838.00	665.00	250.00	450.00	363.00	347.00	288.00	228.00
-5	430.0	19.0	0.50	70.0	44.0	0.49	57.0	88.0	20.05
<u>.</u>	650.0	35.0	99.0	55.0	72.0	98.0	39.0	88.0	10.0
MEAN	1400.00	199.00	657.00	589.00	425.00	346.00	319.00	254.00	192.00


UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

PLOT	PLOTTING POINT	S FOR DURATION	TION HYDRUGRAPH	FOR	39-YEAR PEHIOD	BŁT⊿E	EN WATER	YEARS 1931	AND 1969
Δ									
	н16н	.10	.20	• 30	• 50	.70	. 8 ú	06•	ro.
0-0	320.0	30.0	93.0	96.0	72.0	84.0	30.0	72.0	24.0
0	70.0	0.70	70.0	60.09	72.0	88.0	30.0	72.0	24.0
-0	270.	780.00		560.00	$\sim$	84.	9	275.00	227.00
0	20.0	80.0	40.0	60.0	79.0	74.0	30.0	75.0	12.0
0-0	530.0	14.0	29.0	31.0	20.0	9·9	30.0	76.0	98.0
0 -	30.0	57.0	0.66	0.50	10.0	84.0	39.0	76.0	98.0
0	30.0	62.0	66.0	080	0.00	78.0	51.0	96.0	0.06
0-0	430.0	15.0	66.0	31.0	0.00	84.0	45.0	96.0	92.
10-04	1630.00	873.00	64 d • 0 0	296.00	495.00	397.00	327.00	309.00	250.00
0-1	530.0	24.0	25.0	66.0	98.0	97.0	45.0	12.0	33.0
ī	30.0	0.7.0	20.0	72.0	74.0	92.0	0.04	18.0	25.0
10-12	30.0	87.0	70.0	60.09	72.0	96.0	80.0	21.0	24.
	0	780.00	681.00	570.00	470.00	٠	365.00	309.00	222.0(
7	0.09	0.04	68.0	0.01	78.0	96.0	83·0	03.0	16.0
7	80.0	75.0	54.0	55.0	92.0	96.0	71.0	0.90	19.0
7	1340.00	25.0	78.0	50.0	92.0	0.50	75.0	18.0	31.0
7	60.0	10.0	35.0	66.0	0.00	0.50	62.0	18.0	33.0
0	•	848.00	716.00	566.00	200.00	418.00	374.00	318,00	227.00
7	0.69	10.0	66.0	68.0	0.00	18.0	53.0	10.0	35.0
0-2	0.70	10.0	17.0	02.0	15.0	15.0	53.0	18.0	32.0
-2	34.0	0.65	79.0	85.0	0.00	0.50	62.0	34.0	28.0
0-2	88.0	43.0	96.0	85.0	15.0	18.0	0.48	36.0	32.0
10-23	845.00	813.00	680.00	580.00	495.00	423.00	373.00	334,00	٠,
0-2	45.0	95.0	65.0	72.0	95.0	0.50	76.0	36.0	٠ <u>.</u>
2-0	45.0	71.0	86.0	10.0	95.0	18.0	84.0	39.0	47.0
0-2	0.00	83.0	83.0	0.0	75.0	19.0	93.0	38.0	95.0
-2	52.0	35.0	29.0	0.0	0.00	18.0	0.66	53.0	0.00
0-2	80.0	59.0	47.0	0.0	0.00	20.05	84.0	53.0	0.46
10-29	768.00	147.00	620.00	576.00	472.00	405.00	383.00	365,00	0
0-3	83.0	11.0	08.0	0.0	71.0	11.0	80.0	41.0	12.0
0-3	65.0	0.00	10.0	4 • 0	72.0	0.70	96.0	41.0	03.
MEAN	1010.00	812.00	673.00	574.00	00.667	395.00	364.00	332,00	298.00

	ហ	0,			0	0.0	$\circ$		_	)	00.	0	ے <u>-</u>	•	0	00.0	ਂ.	<u>-</u>	•		) ·	⊃ <sup>⊂</sup>	•	00.00		ე• წ	- 0	0.60	90	10	~	, 0	253.00				311.00		
	1251	AND 1969		201	•	303	ň	ന് ദ	ก	3	320	50	202	3		070					32	3.	<b>₹</b> 2	240	7	~	10	Ü	. •	•							0		
	PROCESSED07/25/7	FARS 1931 AN		06.	(	353.00	. 0	0	٠.		365.00		0.0	9		353.00	> <	> <	, –		0	0	0	371.00	٠.		00.015	0 0 2	0.40	0.0	•	0.0	334.00	) (			364.0		
7	ATE			980		00.0	000	200			72	ے د د	50.00 50.00 50.00	27.(	ı	0.0	3.0	0.00	415.00	30.	•		2 C	423.00	7		Ñ	0		7 - 1 - 0	. 1 7	$\circ$	405.00	0	0	•	425.00		
TERIOR ONLY			2 W		o/•	00	00.0	00.80	25.00	00.12	35.00	_	00.00	00.44	14.00	٠,	J :	7	3 16	462.00		0.09	9.6	00.057	0.0	45.	0.44	427.00	35.0	20.0	, 5,		450.00	י כ	, 2	2		441.00	
PARTMENT OF INTE	ER RESOURCE	T EDGAR. MI	39-YEAR PERIOD BETWE		. 20	•	000	4	450.00	, 00.		7 00 00 00 0	00.07	12.00	10.00		0.0	0.00	0 · 0	00.564	0	16.0	0.07	472.00	90.6	80.	(	V		9 4	520.00		0	96.0	0.00	4.00.00	•	491.00	
٥	SURVEY - WAT	R	FOR		0 2	•	54.00	54.00	21.00	30.00		00.0	00.00	<b>.</b>	בי ב	0	0.00	0.0	55.0	550.00	30.0		0.00	32.0	) (	557.00 557.00	,	0.0	30.0	90.0	550.00	0.0	0	0	9	520.00	30	531,00	•
1. (1.	UNITED SI GEOLOGICAL SU	FORK YELLOWSTONE	CLAKKS TOWN TO DECRAPH		6	02.	00.00	78.00	-7	00.00	000	00.00	00.00	642.00	05.00	00.04		) · ·	2 C	785.00 100.00	72.0	I	6.0	5.0	15.0	550.00	2	0.0	0	90.0	560.00	90.1	;	0.0		150.00	•	,	567.00
	GE0		CLARNS TOTAL	OR DURALIUM		.10	(	3.1.0 0.18	00.689	00.63	63.00	ć	) C	00.00	00.0			0	0.	610.00	0	•	-	9 0		100°C		•	0.0	0.00	100 V X V			0.0	0.0	0.40	780.00		601.00
			208500	POINTS F		HSLI		51.00	91.00		00.74	1	00.50	35.00	00.00	753.00	00.50	0		991.00	07.0	0.19		38.0	0.5	845.00	000	)	7.0	23.0	747.00	0.09	O + 6 6		11.00	17.0	675.00		728.00
			STATION 06	PLOTTING			DAIE	7 101	.02	-03	1.1		90	-07	20-	11-09	-10			11-12		7	•	7		11-10	-1	ĭ	1	, ~	11-23	2	1-2		2-1	2 - 1	11-29	+	MEAN

UNITED STATES DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

STATIC	STATION 06208500	CLARKS	FORK YELLO	YELLOWSTONE RIVER	ER AT EDGAR.	R. MI.	DATE	PROCESSE007/25/75	01/25/75
PL01	PLOTTING POINTS	FOR	OURATION HYORO	HYOROGRAPH FOR	39-YEAR PE	PERIOD BETWEEN	N WATER	YEARS 1931	AND 1969
DATE	нІвн	.10	.20	.30	• 50	٠٢٠	.80	06.	LO#
0	23.0	87.0	0.44	30.0	480.00	21.0	~	50.0	0.06
12-05	720.00	582.00	4	526.00	471.00	425.00	397.00	350.00	•
0	53.0	76.0	55.0	24.0	470.00	42.0	$\circ$	40.0	90.0
2-0	86.0	0.09	0.04	00.00	. 00.074	30.0	0	15.0	62.0
2-0	53.0	50.0	35.0	0.00	48.0	97.0	0	15.0	0.80
2-0	80.0	58.0	0.0	10.0	48.0	0.49	20.0	0.00	86.0
2-0	76.0	0.07	5.0	90.0	0.04	50.0	40.0	79.0	02.0
2-0	40.0	28.0	5.0	72.0	50.0	000	20.0	51.0	68.0
12-09	700.00	535.00	500.00	470.00	430.00		320.00	299.00	158.00
2-1	0.09	25.0	0.0	80.0	21.0	0.09	20.0	93.0	91.0
2-1	47.0	23.0	0.00	90.0	20.0	50.0	0.0	83.0	2.0
12-12			•	0	430.00		315.00	280.00	215.00
2-1	23.0	65.0	98.0	65.0	21.0	50.0	0.6	50.0	6.0
2-1	48.0	0.55	80.0	70.0	21.0	50.0	0.0	40.0	2.0
2-1	42.0	0.09	80.0	70.0	18.0	70.0	0.0	0.04	0.0
2-1	53.0	0.44	89.0	70.0	0	50.0	88.0	50.0	05.0
2-1	0.79	20.0	85.0	0.09	0	45.0	70.0	50.0	05.0
12-18	653.00	48B.00	466.00	448.00	410.00	350.00	299.00	260.00	175.00
2-1	36.0	88.0	0.09	0.05	0	65.0	40.0	50.0	0.96
2-5	0.60	90.0	0.09	0.09	0	0.09	0.07	83.0	05.0
2-2	0.40	0.00	76.0	60.09	30.0	70.07	20.02	0.06	196.00
2-5	30.0	54.0	88.0	60.0	20.0	65.0	0.07	70.0	91.0
12-23	725.00	554.00	480.00	460.00	420.00	360.00	320.00	260.00	$^{3}$
2-2	0.00	20.0	70.0	50.0	10.0	50.0	08.0	0.04	6.0
2-5	0.00	0.00	80.0	0.04	90.0	20.0	0.09	0.04	77.0
2-5	50.0	20.0	50.0	0.0	0	0.0	60.0	0.0	0
2-5	0.00	32.0	50.0	0.0	0	0.0	0.09	5.0	0
2-5	20.0	0.66	0.04	0.0	0	0.0	70.07	0.0	•
12-29	00.009	0	477.00	430.00	391.00	•	280.00	220.00	80
2-3	0.05	0.00	80.0	0.0	0	7 • 1	75.0	2.0	80.0
2-3	20.0	80.0	70.0	9.0	0	0.0	75.0	2.0	80.0
MEAN	583.00	00.484	00.194	452.00	423.00	383.00	355.00	320.00	217.00





## United States Department of the Interior

## GEOLOGICAL SURVEY

Water Resources Division 301 South Park Avenue, Room 428 Federal Building, Drawer 10076 Helena, Montana 59626-0076

November 30, 198

Fred Nelson Dept. of Fish, Wildlife and Parks 8695 Huffine Lane Bozeman, Montana 59715

Dear Fred:

Enclosed is a listing of preliminary data, in cubic feet per second, for the streams measured in the first phase of the study. The astericks indicate the 50th percentiles for the irrigation months, and the remaining months are 20th percentile figures. We plan to put the data in final form and mail a letter report to you in the next couple of months.

If you have any questions or need additional information, please let us know as soon as possible.

Sincerely,

Joe A. Moreland

For a. Mordan

Acting District Chief

Enclosures

1	-	57	ream			
,	North Fork Bear Creek at Jardine	Bear Creek above North Fork at Jandine	Bear Creek below North Fork at Jardine	Mol Heron Creek above Connatar Creek near Corwin "Springs	Cinnatar Creek above Cottonwood Creek near Corwin Springs	Cirmster Creek at mouth near Corwin Springs
Mean Amual	21.9	36.5	58.8	23.7	10.4	12.4
Jan	5.62	9.61	15.9	6.11	2.57	3.09
Feb	5.37	9.18	15.1	5.83	2.46	2.95
March	6.29	10.6	17.2	6.82	2.94	3.52
April	21.2	32.1	47.2	22.6	11.6	13.4
* May	37.8	60.7	94.6	40.6	18.9	22.2
* June	90.6	148	234	97.8	44.3	57.5
* July *	31.9	56.0	94.6	34.8	14.1	17.1
* Aug	11.4	20.4	35.0	12.5	4.94	6.02
* Sept	8.61	15.2	25.8	9.40	3.77	4.58
Oct	9.54	16.7	28.0	10.4	4.24	5.13
Nov	8.89	15.0	24.6	9.64	4.13	41.95
Dec	7.22	12.2	19.8	7.83	3.38	4.04

circultiles for the irrigation season

		57	tream	/		
	Cedar Creek near Cornin Springs	Tom Miner Creek above Canyon Creek nelas Comin Springs	Tom Miner Creek at month near Cornins Springs	Rock Creek at mouth near Cowin Springs	Simulatrest above diversions rear Emigrant	Fridly Creek above Miller Creek near Emigrant
1ean Armuel	8.90	61.2.	55.6	22.7	33.1	19.3
Jan	2.18	16.5	15.0	5.84	8.67	4.92
Feb	2.08	15.8	14,3	5.57	8.28	4.70
March	2.51	17.9	16.3	6.52	9.58	5.53
April	10.2	47.8	45.1	21.8	29.6	19.1
May	16.3	98.2	89.8	39.0	56.4	33.6
June	38.2	243	222	93.8	135	80.2
July	11.8	98.8	88.9	33.2	50.3	27.8
Aug	4.14	36.6	32.8	11.9	18.3	9.93
+ 5epT	3.17	26.9	24.2	8.96	13.6	7.48
Oct	3.58	29.2	26.3	9.92	15.0	8.31
Nov	3.52	25.6	23.2	9.22	13.6	7.80
Dec	2.88	20.6	18.7	7.49	11.0	6.35
					1	

		57	ream			
~ ~ ~	Fridley Creek at mouth	Eightmile Creek above diversions near Emigrant	Mill Creek. at Forest Service Boundry near	Reep Creek near Livingston	Trail Creek above Pine Creek near	Suce Creek near Livingston
<i>f</i> .	near Emyrani	,	Pray		Livingston	<i>V</i>
Yean Amua	4.82	24.2	156	12.4	20.1	6.18
Jan	1.65	6.24	44.2	3.09	5-14	1.49
Feb	1.58	5.96	42.2	2.95	4.90	1.42
March	1.91	6.96	46.6	3.52	5.76	1.73
April	8.24	23.0	104	13.4	19.8	7.61
May	12.8	41.4	234	22.2	34.9	11.6
June	29.6	99.7	597	52.5	83.4	26.9
July	8.84	35.6	277	17.1	29.0	7.93
Aug	3.06	12.8	105	6.02	10.4	2.74
52pT	2.36	9.1,2	76.1	4.58	7.83	211
Oct	2.68	10.6	81.1	5./3	8.69	2.40
Nov	2.67	9.85	67.2	4.95	8.14	2.42
Dec	2.20	8.00	53.5	4.04	6.62	1.99
						4
						•
			•			
				1		

•			ream	<u> </u>		
· .	Billman Creek above Miner Creek rear Livingston	Miner Creck near Livingston		Fleshman Crue, at months near Lungston		
ean Amua	11.2	8.32	18.1	5.47		
Jan	2.78	2.03	4.60	1.31		
Feb	2.65	1.94	4.39	1.25		
March	3.17	2.34	5.18	1.53		
April	12.3	9.68	18.2	6.89		
May	20.2	15.4	31.6	10.4		
June	47.6	35.8	75.4	23.9		 
July	15.3	11.0	25.9	6.94		
Aug	5.37	3.84	9.23	2.39		
Sept	4.09	2.94	6.97	1.85		
Oct	4.59	3.32	7.75	2.10		
Nov	4.46	3.28	7.30	2.13		
Dec	3.64	2.69	-5.95	1.75		
	To all the second secon					
						Ì
			•		:	